

BRM2130 Management in Practice - Bioenergy and Environmental Change

[View Online](#)

-
- A. Karp, N. G. H. (2011). Energy crops. Royal Society of Chemistry.
http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3037234320002418&institutionId=2418&customerId=2415
- Agar, D., & Wihersaari, M. (2012). Torrefaction technology for solid fuel production. *GCB Bioenergy*, 4(5), 475–478. <https://doi.org/10.1111/j.1757-1707.2011.01141.x>
- Atkinson, C. J. (2009a). Establishing perennial grass energy crops in the UK: A review of current propagation options for Miscanthus. *Biomass and Bioenergy*, 33(5), 752–759. <https://doi.org/10.1016/j.biombioe.2009.01.005>
- Atkinson, C. J. (2009b). Establishing perennial grass energy crops in the UK: A review of current propagation options for Miscanthus. *Biomass and Bioenergy*, 33(5), 752–759. <https://doi.org/10.1016/j.biombioe.2009.01.005>
- Berndes, G., Hoogwijk, M., & van den Broek, R. (2003). The contribution of biomass in the future global energy supply: A review of 17 studies. *Biomass and Bioenergy*, 25(1). <http://www.sciencedirect.com/science/article/B6V22-47P8Y07-1/2/f263e45ffc5d8ffb47bee6fe79e6ce4f>
- Börjesson, P. (1999). Environmental effects of energy crop cultivation in Sweden—I: Identification and quantification. *Biomass and Bioenergy*, 16(2), 137–154. [https://doi.org/10.1016/S0961-9534\(98\)00080-4](https://doi.org/10.1016/S0961-9534(98)00080-4)
- Bridgwater, A. V. (1995). The technical and economic feasibility of biomass gasification for power generation. *Fuel*, 74(5). <http://www.sciencedirect.com/science/article/B6V3B-4002DTC-68/2/d31b1e7d7acb2aef55a219dc217f32fb>
- Bridgwater, A. V. & Cottam, M. -L. (1991). Opportunities for biomass pyrolysis liquids production and upgrading. *Energy and Fuels*, 6. <http://pubs.acs.org/doi/pdf/10.1021/ef00032a001>
- Brown, R. C. (2011). Thermochemical processing of biomass: Vol. Wiley series in renewable resources. Wiley-Blackwell.
http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3037243470002418&institutionId=2418&customerId=2415
- Chang, M. C. Y. (2007). Harnessing energy from plant biomass. *Current Opinion in Chemical Biology*, 11(6).

- <http://www.sciencedirect.com/science/article/B6VRX-4PXNHW8-1/2/37f6ca75172e00dbf258c9a1c4dacc0d>
- Coombs, J. & Hall, K. (1998). Chemicals and polymers from biomass. *Renewable Energy*, 15 (1-4).
<http://www.sciencedirect.com/science/article/B6V4S-3V3YVYH-9/2/5e0a12d2668caa462a3c36fe52e73b7f>
- Demirbas, A. H. & Demirbas, I. (2007). Importance of rural bioenergy for developing countries. *Energy Conversion and Management*, 48.
http://www.sciencedirect.com/science?_ob=MIimg&_imagekey=B6V2P-4NJX404-3-J&_cdi=5708&_user=427455&_pii=S0196890407000763&_origin=&_coverDate=08%2F31%2F2007&_sk=999519991&view=c&wchp=dGLzVlz-zSkWW&md5=d027ad0cc776ca29c4e8395af22a6993&ie=/sdarticle.pdf
- Deutsche Gesellschaft
fu
r Sonnenenergie & ECOFYS (Firm). (2005). Planning and installing bioenergy systems: a guide for installers, architects, and engineers. Earthscan.
- Duffy, M. D. & Nanhou, V. Y. (1996). Costs of producing switchgrass for biomass in Southern Iowa. In *Trends in New Crops and New Uses*. ASHS Press.
<http://www.hort.purdue.edu/newcrop/ncnu02/pdf/duffy-267.pdf>
- Glithero, N. J., Wilson, P., & Ramsden, S. J. (2013a). Prospects for arable farm uptake of Short Rotation Coppice willow and miscanthus in England. *Applied Energy*, 107, 209-218.
<https://doi.org/10.1016/j.apenergy.2013.02.032>
- Glithero, N. J., Wilson, P., & Ramsden, S. J. (2013b). Straw use and availability for second generation biofuels in England. *Biomass and Bioenergy*, 55, 311-321.
<https://doi.org/10.1016/j.biombioe.2013.02.033>
- Goldemberg, J., Coelho, S. T., Nastari, P. M., & Lucon, O. (2004). Ethanol learning curve - the Brazilian experience. *Biomass and Bioenergy*, 26(3).
<http://www.sciencedirect.com/science/article/B6V22-49FGMV9-2/2/a19dbe9db824510c468a04fb67aa0595>
- Gordon G. Allison. (2011). Application of Fourier Transform Mid-Infrared Spectroscopy (FTIR) for Research into Biomass Feed-Stocks. In G. Nikolic (Ed.), *Fourier Transforms - New Analytical Approaches and FTIR Strategies*. InTech. <https://doi.org/10.5772/15785>
- Hatti-Kaul, R., Tornvall, U., Gustafsson, L., & Borjesson, P. (2007). Industrial biotechnology for the production of bio-based chemicals - a cradle-to-grave perspective. *Trends in Biotechnology*, 25(3).
<http://www.sciencedirect.com/science/article/B6TCW-4MV719J-1/2/4030ca1aeb038bc4a201a4782d67878d>
- Heaton, E. A., Long, S. P., Voigt, T. B., Jones, M. B., & Clifton-Brown, J. (2004). Miscanthus for renewable energy generation: European Union experience and projections for Illinois. *Mitigation and Adaptation Strategies for Global Change*, 9(4).

<http://dx.doi.org/10.1023/B:MITI.0000038848.94134.be>

Kleiner, K. (2009). The bright prospect of biochar: Vol. Volume| (Issue 0906). Nature Publishing Group. <http://dx.doi.org/10.1038/climate.2009.48>

Lewandowski, I., Clifton-Brown, J. C., Scurlock, J. M. O., & Huisman, W. (2000). Miscanthus: European experience with a novel energy crop. *Biomass and Bioenergy*, 19(4). <http://www.sciencedirect.com/science/article/B6V22-41M3H0T-1/2/0edf73794793a26a5c8069fccccf134be>

Mascia, P. N., Scheffran, J., & Widholm, J. M. (Eds.). (2010). Plant biotechnology for sustainable production of energy and co-products: Vol. Biotechnology in agriculture and forestry. Springer.

McKendry, P. (2002). Energy production from biomass (part 1): Overview of biomass. *Bioresource Technology*, 83(1). <http://www.sciencedirect.com/science/article/B6V24-44YWKMG-2/2/c47f2362a0950bc2ac19171540c3fbda>

Nass, L.L., Pereira, P.A.A., & Ellis, D. (2007a). Biofuels in Brazil: An overview. *Crop Science*, 47(6). <http://crop.scijournals.org/cgi/content/abstract/cropsci;47/6/2228>

Nass, L.L., Pereira, P.A.A., & Ellis, D. (2007b). Biofuels in Brazil: An overview. *Crop Science*, 47(6). <http://crop.scijournals.org/cgi/content/abstract/cropsci;47/6/2228>

Nonhebel, S. (2005). Renewable energy and food supply: Will there be enough land? *Renewable and Sustainable Energy Reviews*, 9(2). <http://www.sciencedirect.com/science/article/B6VMY-4C5MGS4-1/2/370fb6dade53b035a2bd069adc568140>

Pogson, M., Hastings, A., & Smith, P. (2013). How does bioenergy compare with other land-based renewable energy sources globally? *GCB Bioenergy*, 5(5), 513-524. <https://doi.org/10.1111/gcbb.12013>

Prochnow, A., Heiermann, M., Plöchl, M., Amon, T., & Hobbs, P. J. (2009). Bioenergy from permanent grassland - A review: 2. Combustion. *Bioresource Technology*, 100. <http://www.sciencedirect.com/science/article/B6V24-4WR2BYV-5/2/9e9a478280de4b3475f3766b3f1c6dcc>

Prochnow, A., Heiermann, M., Plöchl, M., Linke, B., Idler, C., Amon, T., & Hobbs, P. J. (2009). Bioenergy from permanent grassland - A review: 1. Biogas. *Bioresource Technology*, 100. <http://www.sciencedirect.com/science/article/B6V24-4WR2BYV-4/2/778f32a68b5f79a9baa301acb5225a3d>

Radetzki, M. (1997). The economics of biomass in industrialized countries: An overview. *Energy Policy*, 25(6). <http://www.sciencedirect.com/science/article/B6V2W-3SN6MNX-M/2/c995b1a02f70b913164bd64c202ccc0a>

Robbins, M. P., Evans, G., Valentine, J., Donnison, I. S., & Allison, G. G. (2012). New opportunities for the exploitation of energy crops by thermochemical conversion in

- Northern Europe and the UK. *Progress in Energy and Combustion Science*, 38(2), 138–155.
<https://doi.org/10.1016/j.pecs.2011.08.001>
- Robert C. Brown. (2011). *Thermochemical processing of biomass* (ebook). John Wiley & Sons.
http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3039314910002418&institutionId=2418&customerId=2415
- Robertson, G. P., Dale, V. H., Doering, O. C., Hamburg, S. P., Melillo, J. M., Wander, M. M., Parton, W. J., Adler, P. R., Barney, J. N., Cruse, R. M., Duke, C. S., Fearnside, P. M., Follett, R. F., Gibbs, H. K., Goldemberg, J., Mladenoff, D. J., Ojima, D., Palmer, M. W., Sharpley, A., ... Wilhelm, W. W. (2008). AGRICULTURE: Sustainable Biofuels Redux. *Science*, 322(5898), 49–50. <https://doi.org/10.1126/science.1161525>
- Rösch, C., Skarka, J., Raab, K., & Stelzer, V. (2009). Energy production from grassland - Assessing the sustainability of different process chains under German conditions. *Biomass and Bioenergy*, 33.
<http://www.sciencedirect.com/science/article/B6V22-4V64YKF-1/2/04b45967fa6487e1cb8c1c6251542e89>
- Samson, R., Mani, S., Boddey, R., Sokhansanj, S., Quesada, D., Urquiaga, S., Reis, V., & Lem, C. H. (2005). The potential of C4 perennial grasses for developing a global BIOHEAT industry. *Critical Reviews in Plant Sciences*, 24(5).
<http://www.informaworld.com/10.1080/07352680500316508>
- Sherrington, C., Bartley, J., & Moran, D. (2008). Farm-level constraints on the domestic supply of perennial energy crops in the UK. *Energy Policy*, 36(7).
<http://www.sciencedirect.com/science/article/B6V2W-4SDFS97-3/2/6d83b3b469580979e9fa0a7eefb6633>
- Stewart, C.N. (2007). Biofuels and biocontainment. *Nature Biotechnology*, 25.
- The economics of climate change: The Stern review. (2007). Cambridge University Press.
http://www.hm-treasury.gov.uk/stern_review_report.htm
- Tilman, D., Socolow, R., Foley, J. A., Hill, J., Larson, E., Lynd, L., Pacala, S., Reilly, J., Searchinger, T., Somerville, C., & Williams, R. (2009). Beneficial Biofuels--The Food, Energy, and Environment Trilemma. *Science*, 325(5938), 270–271.
<https://doi.org/10.1126/science.1177970>
- Valentine, J., Clifton-Brown, J., Hastings, A., Robson, P., Allison, G., & Smith, P. (2012). Food vs. fuel: the use of land for lignocellulosic 'next generation' energy crops that minimize competition with primary food production. *GCB Bioenergy*, 4(1), 1–19.
<https://doi.org/10.1111/j.1757-1707.2011.01111.x>
- Van Loo, S., Koppejan, J., & International Institute for Environment and Development. (2010). *The handbook of biomass combustion and co-firing*. Earthscan.
- Venturi, P., Gigler, J. K., & Huisman, W. (1999). Economical and technical comparison between herbaceous (*Miscanthus x giganteus*) and woody energy crops (*Salix viminalis*). *Renewable Energy*, 16(1–4).

<http://www.sciencedirect.com/science/article/B6V4S-3V3YWDV-70/2/f0081dfb790def30abff2992091b3d9e>

Venturi, P. & Venturi, G. (2003). Analysis of energy comparison for crops in European agricultural systems. *Biomass and Bioenergy*, 25(3).

<http://www.sciencedirect.com/science/article/B6V22-482YWFR-2/2/fa1a82d638c041beecc9c2958ea26b5f>

Vermerris, W. (2008). Genetic improvement of bioenergy crops. Springer.

Wiley: Chemometrics, 2nd Edition - Matthias Otto. (n.d.).

Yuan, J. S., Tiller, K. H., Al-Ahmad, H., Stewart, N. R., & Stewart Jr, C. N. (2008). Plants to power: Bioenergy to fuel the future. *Trends in Plant Science*, 13(8).

<http://www.sciencedirect.com/science/article/B6TD1-4T0M62M-1/2/e7b488c2db722d360d19a0e90e8aaacf>