

# BRM5220 - Equine Reproductive Physiology and Breeding Technology

View Online



---

[1]

M. C. G. Davies Morel, Equine reproductive physiology, breeding and stud management, Fourth edition. Wallingford: CABI, 2015.

[2]

A. O. McKinnon, Equine reproduction, 2nd ed. Oxford: Wiley-Blackwell, 2011 [Online]. Available:  
<http://www.vlebooks.com/vleweb/product/openreader?id=AberystUni&isbn=9781444397635>

[3]

M. C. G. Davies Morel, Equine artificial insemination. Wallingford: CABI Publishing, 1999.

[4]

D. C. Knottenbelt, Equine stud farm medicine and surgery. London: W. B. Saunders, 2003 [Online]. Available:  
[http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package\\_service\\_id=3037231890002418&institutionId=2418&customerId=2415](http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3037231890002418&institutionId=2418&customerId=2415)

[5]

J. C. Samper, J. F. Pycocock, and A. O. McKinnon, Current therapy in equine reproduction. St. Louis, Missouri: Elsevier Saunders, 2007.

[6]

J. Aerts and P. Bols, 'Ovarian Follicular Dynamics: A Review with Emphasis on the Bovine Species. Part I: Folliculogenesis and Pre-antral Follicle Development', *Reproduction in Domestic Animals*, vol. 45, no. 1, pp. 171-179, Feb. 2010, doi: 10.1111/j.1439-0531.2008.01302.x.

[7]

R. R. Ashdown and S. Done, *Color atlas of veterinary anatomy: [Vol.2]: The horse*; Raymond R. Ashdown, Stanley H. Done; photography by Susan A. Evans. Philadelphia: Lippincott, 1987.

[8]

M. Binelli and B. D. Murphy, 'Coordinated regulation of follicle development by germ and somatic cells', *Reproduction, Fertility and Development*, vol. 22, no. 1, pp. 1-12, 2010.

[9]

A. Bonnet, R. Dalbiès-Tran, and M. A. Sirard, 'Opportunities and challenges in applying genomics to the study of oogenesis and folliculogenesis in farm animals', *Reproduction*, vol. 135, no. 2, 2008.

[10]

E. A. Caslick, 'The vulva and vulvo-vaginal orifice and its relation to genital tracts of the Thoroughbred mare', *Cornell Vet*, vol. 27, 1937.

[11]

R. C. Causey, 'Mucus and the mare: How little we know', *Theriogenology*, vol. 68, no. 3, pp. 386-394, Aug. 2007, doi: 10.1016/j.theriogenology.2007.04.011.

[12]

M. R. Del Campo, M. X. Donoso, J. J. Parrish, and O. J. Ginther, 'In vitro fertilization of in vitro-matured equine oocytes', *Journal of Equine Veterinary Science*, vol. 10, no. 1, pp. 18-22, Jan. 1990.

[13]

J. Easley, 'External Perineal conformation', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993, pp. 19–26.

[14]

C. Ellenberger, K. Müller, H.-A. Schoon, S. Wilsher, and W. Allen, 'Histological and Immunohistochemical Characterization of Equine Anovulatory Haemorrhagic Follicles (AHFs)', *Reproduction in Domestic Animals*, vol. 44, no. 3, pp. 395–405, Jun. 2009, doi: 10.1111/j.1439-0531.2008.01085.x.

[15]

O. J. Ginther, *Reproductive biology of the mare: basic and applied aspects*, 2nd ed. Cross Plains, Wis: Equiservices, 1992.

[16]

O. J. Ginther, *Ultrasonic imaging and animal reproduction: Book 2: Horses*. Cross Plains, Wisconsin: Equiservices Publishing, 1995.

[17]

'A comparative study of follicular dynamics between lactating and non-lactating mares: effect of the body condition', *Theriogenology*, vol. 58, no. 2–4, pp. 553–556, 2002, doi: 10.1016/S0093-691X(02)00851-8.

[18]

B. Hafez and E. S. E. Hafez, *Reproduction in farm animals*, 7th ed. Philadelphia: Lippincott Williams & Wilkins, 2000.

[19]

E. Hemberg, N. Lundeheim, and S. Einarsson, 'Retrospective Study on Vulvar Conformation in Relation to Endometrial Cytology and Fertility in Thoroughbred Mares', *Journal of*

Veterinary Medicine Series A, vol. 52, no. 9, pp. 474–477, Nov. 2005, doi:  
10.1111/j.1439-0442.2005.00760.x.

[20]

A. O. McKinnon and J. L. Voss, 'Reproductive organs of the mare', in Equine reproduction, Philadelphia: Lea & Febiger, 1993, pp. 3–19.

[21]

D. C. Knottenbelt, Equine stud farm medicine and surgery. London: W. B. Saunders, 2003 [Online]. Available:  
[http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package\\_service\\_id=3037305150002418&institutionId=2418&customerId=2415](http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3037305150002418&institutionId=2418&customerId=2415)

[22]

P. T. Colahan, Equine medicine and surgery, 4th ed. Goleta, Calif: American Veterinary Publications, 1991.

[23]

McAllister RA, 'Identification of anatomic features of the equine clitoris as potential growth sites for *Taylorella equigenitalis*.' , Journal of the American Veterinary Medical Association, vol. 196, no. 12, pp. 1965–1966 [Online]. Available:  
<http://europepmc.org/abstract/med/2365620>

[24]

P. Mermillod et al., 'Factors affecting oocyte quality: who is driving the follicle?', Reproduction in Domestic Animals, vol. 43, no. 2, 2008 [Online]. Available:  
[http://www.researchgate.net/profile/Svetlana\\_Uzbekova/publication/51412380\\_Factors\\_affecting\\_oocyte\\_quality\\_who\\_is\\_driving\\_the\\_follicle/links/53d6163d0cf220632f3d7c32.pdf](http://www.researchgate.net/profile/Svetlana_Uzbekova/publication/51412380_Factors_affecting_oocyte_quality_who_is_driving_the_follicle/links/53d6163d0cf220632f3d7c32.pdf)

[25]

M. Mihm and A. Evans, 'Mechanisms for Dominant Follicle Selection in Monovulatory Species: A Comparison of Morphological, Endocrine and Intraovarian Events in Cows, Mares and Women', Reproduction in Domestic Animals, vol. 43, pp. 48–56, Jul. 2008, doi:  
10.1111/j.1439-0531.2008.01142.x.

[26]

R. R. Pascoe, 'Observations on the length and angle of declination of the vulva and its relation to fertility of the mare', *Journal of Reproduction and Fertility*, vol. 27, 1979.

[27]

R. R. Pascoe, D. R. Pascoe, and M. C. Wilson, 'Influence of follicular status on twinning rate in mares', *Journal of Reproduction and Fertility*, vol. 35, pp. 183-189, 1987.

[28]

A. O. McKinnon and J. L. Voss, 'Folliculogenesis', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[29]

E. J. M. POURET, 'Surgical technique for the correction of pneumo- and urovagina', *Equine Veterinary Journal*, vol. 14, no. 3, pp. 249-250, Jul. 1982.

[30]

V. B. Reef, 'Ultrasonography of genital tract of mare', in *Equine diagnostic ultrasound*, Philadelphia: W. B. Saunders, 1998.

[31]

J. R. Rooney and W. O. Sack, *Rooney's guide to the dissection of the horse*, 6th ed. New York: Veterinary Textbooks, 1991.

[32]

J. C. Samper, J. F. Pycock, and A. O. McKinnon, *Current therapy in equine reproduction*. St. Louis, Missouri: Elsevier Saunders, 2007.

[33]

D. Simpson and W. Eaton-Evans, 'Sites of CEM infection', *Veterinary Record*, vol. 102, no. 22, pp. 488-488, Jun. 1978.

[34]

S. Sisson, *The anatomy of the domestic animals*, 4th ed., Rev. Philadelphia: Saunders, 1953.

[35]

A. M. Sorensen, *Animal reproduction, principles and practices*, vol. McGraw-Hill publications in the agricultural sciences. New York: McGraw-Hill, 1979.

[36]

E. L. Squires, R. H. Douglas, W. P. Steffenhagen, and O. J. Ginther, 'Ovarian changes during the oestrus cycle and pregnancy in mares', *Journal of Animal Science*, vol. 38, no. 2, 1974, doi: 10.2134/jas1974.382330x. [Online]. Available: <https://www.animalsciencepublications.org/publications/jas/abstracts/38/2/JAN0380020330>

[37]

M. M. Vogelsang, D. C. Kraemer, G. D. Potter, and G. G. Scott, 'Fine structure of the follicular oocyte of the horse.', *Journal of Reproduction and Fertility*, vol. 35, pp. 157-167, 1987.

[38]

'The site of ovulation in the mare.', *Journal of Reproduction and Fertility*, vol. 23, pp. 329-330, 1975.

[39]

G. Almahbobi, V. Papadopoulos, S. Carreaus, and P. Silberzahn, 'Age related morphological and functional changes in the leydig cells of the horse', *Biology of Reproduction*, vol. 38, 1988 [Online]. Available: <http://www.bioreprod.org/content/38/3/653.full.pdf>

[40]

A. O. McKinnon and J. L. Voss, Equine reproduction. Philadelphia: Lea & Febiger, 1993.

[41]

A. O. McKinnon and J. L. Voss, Equine reproduction. Philadelphia: Lea & Febiger, 1993.

[42]

A. O. McKinnon and J. L. Voss, Equine reproduction. Philadelphia: Lea & Febiger, 1993.

[43]

R. R. Ashdown and S. Done, Color atlas of veterinary anatomy: [Vol.2]: The horse ; Raymond R. Ashdown, Stanley H. Done ; photography by Susan A. Evans. Philadelphia: Lippincott, 1987.

[44]

S. D. Beckett, R. S. Hudson, D. F. Walker, R. I. Vachon, and T. M. Reynolds, 'Corpus cavernosum penis pressure and external penile muscle activity during erection in the goat', *Biology of Reproduction*, vol. 7, no. 3, 1972 [Online]. Available: <http://www.bioreprod.org/content/7/3/359.full.pdf>

[45]

F. H. A. Marshall and G. E. Lamming, 'The mammalian spermatozoon. Morphology, biochemistry and physiology', in *Marshall's Physiology of reproduction: Vol.2: Reproduction in the male*, 4th ed., Edinburgh: Churchill Livingstone, 1990.

[46]

W. E. Berndtson, E. L. Squires, and D. L. Thompson, 'Spermatogenesis, testicular composition and the concentration of testosterone in the equine testis as influenced by season', *Theriogenology*, vol. 20, no. 4, pp. 449-457, Oct. 1983.

[47]

M. S. Boyle, D. G. Cran, W. R. Allen, and R. H. F. Hunter, 'Distribution of spermatozoa in the mare's oviduct', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479620>

[48]

T. Burns, T. Chenier, and G. Munroe, 'Male Reproductive Tract', in *Equine clinical medicine, surgery, and reproduction*, London: Manson/Veterinary Press.

[49]

J. E. COX, G. B. EDWARDS, and P. A. NEAL, 'An Analysis of 500 cases of Equine Cryptorchidism', *Equine Veterinary Journal*, vol. 11, no. 2, pp. 113–116, Apr. 1979, doi: 10.1111/j.2042-3306.1979.tb01321.x.

[50]

M. C. G. Davies Morel, *Equine artificial insemination*. Wallingford: CABI Publishing, 1999, pp. 37–77.

[51]

E. M. Eddy, 'The spermatozoon', in *Knobil and Neill's physiology of reproduction*, 3rd ed., San Diego, Calif: Elsevier, 2006.

[52]

R. Friedman, M. Scott, S. E. Heath, J. P. Hughes, P. F. Daels, and T. Q. Tran, 'The effects of increased testicular temperature on spermatogenesis in the stallion', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795255>

[53]

T. Fukuda, M. Kikuchi, T. Kurotaki, T. Oyomada, W. Yoshikawa, and T. Yoshikawa, 'Age



related changes in the testes of horses', *Equine Veterinary Journal*, vol. 33, no. 1, 2001 [Online]. Available: <http://onlinelibrary.wiley.com/doi/10.2746/042516401776767449/epdf>

[54]

M. R. Gebauer, B. W. Pickett, and E. E. Swierstra, 'Reproductive physiology of the stallion II. Daily production and output of sperm', *Journal of Animal Science*, 1974. [Online]. Available: <https://www.animalsciencepublications.org/publications/jas/abstracts/39/4/JAN0390040732>

[55]

O. J. Ginther, *Ultrasonic imaging and animal reproduction: Book 2: Horses*. Cross Plains, Wisconsin: Equiservices Publishing, 1995.

[56]

B. M. Gadella, R. Rathi, J. F. H. M. Brouwers, T. A. E. Stout, and B. Colenbrander, 'Capacitation and the acrosome reaction in equine sperm', *Animal Reproduction Science*, vol. 68, no. 3-4, pp. 249-265, Dec. 2001, doi: 10.1016/S0378-4320(01)00161-0.

[57]

M. T. Hochereau-de-Reviere, 'Spermatogenesis in mammals and birds', in *Marshall's Physiology of reproduction: Vol.2: Reproduction in the male*, 4th ed., Edinburgh: Churchill Livingstone, 1990.

[58]

L. S. Hoffman, T. E. Adam, and J. W. Evans, 'Circadian circadian and seasonal variation in patterns of gonadotrophin secretion in geldings', *Journal of Reproduction and Fertility*, vol. 35, pp. 51-58, 1987.

[59]

L. Johnson and D. L. Thompson, 'Age-related and seasonal variation in the Sertoli cell population, daily sperm production and serum concentrations of follicle stimulating

hormone, luteinising hormone and testosterone in stallions', *Biology of Reproduction*, vol. 29, 1983 [Online]. Available: <http://www.biolreprod.org/content/29/3/777.full.pdf>

[60]

P. T. Cupps, 'Spermatogenesis', in *Reproduction in domestic animals*, 4th ed., San Diego: Academic Press, 1991 [Online]. Available: [http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package\\_service\\_id=3039445730002418&institutionId=2418&customerId=2415](http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3039445730002418&institutionId=2418&customerId=2415)

[61]

L. Johnson and W. B. Neaves, 'Age-related changes in the leydig cell population, seminiferous tubules and sperm production in stallions', *Biology of Reproduction*, vol. 24, 1981 [Online]. Available: <http://www.biolreprod.org/content/24/3/703.full.pdf>

[62]

S. G. Korenman, 'New insights into erectile dysfunction: a practical approach', *The American Journal of Medicine*, vol. 105, no. 2, pp. 135-144, Aug. 1998.

[63]

K. Kosiniak, 'Characteristics of the successive jets of ejaculated semen of stallions.', *Journal of Reproduction and Fertility*, vol. 23, pp. 59-61, 1975.

[64]

T. V. Little and G. L. Woods, 'Ultrasonography of accessory sex glands in the stallion', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3316647>

[65]

C. Lopate, M. LeBlanc, and D. Knottenbelt, 'The Stallion', in *Equine stud farm medicine and surgery*, London: W. B. Saunders, 2003 [Online]. Available: [http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package\\_service\\_id=3039311350002418&institutionId=2418&customerId=2415](http://eu.alma.exlibrisgroup.com/view/action/uresolver.do?operation=resolveService&package_service_id=3039311350002418&institutionId=2418&customerId=2415)

[66]

C. C. Love, M. C. Garcia, F. R. Riera, and R. M. Kennedy, 'Evaluation of measures taken by ultrasonography and caliper to estimate testicular volume and...', *Journal of Reproduction and Fertility*, vol. 44, 1991.

[67]

M. Magistrini, F. Seguin, P. Beau, S. Akoka, A. Le Pape, and E. Palmer, 'Nuclear magnetic resonance analysis of stallion genital tract fluids and seminal plasma: contribution of the accessory sex glands to the ejaculate.', *Biology of Reproduction, Monograph Equine Reproduction VI*, 1995.

[68]

T. Mann, 'Biochemistry of Stallion Semen', *Journal of Reproduction and Fertility, Supplement*, vol. 23, 1975 [Online]. Available:  
<http://europepmc.org/abstract/med/1060826>

[69]

S. M. McDonnell, M. C. Garcia, and R. M. Kennedy, 'Pharmacological manipulation of sexual behaviour in stallions', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available:  
[http://www.researchgate.net/profile/Sue\\_Mcdonnell/publication/20195064\\_Pharmacological\\_manipulation\\_of\\_sexual\\_behaviour\\_in\\_stallions/links/5454fd9f0cf2bccc490cc7a2.pdf](http://www.researchgate.net/profile/Sue_Mcdonnell/publication/20195064_Pharmacological_manipulation_of_sexual_behaviour_in_stallions/links/5454fd9f0cf2bccc490cc7a2.pdf)

[70]

V. B. Reef, 'Ultrasonography of genital tract of stallion', in *Equine diagnostic ultrasound*, Philadelphia: W. B. Saunders, 1998.

[71]

S. J. Roberts, *Veterinary obstetrics and genital diseases*, Reproduction of first edition. Whitefish, Montana: Literary Licensing, 2012.

[72]

P. D. Rosedale and S. W. Ricketts, *Equine stud farm medicine*, 2nd ed. London: Baillière Tindall.

[73]

D. Searle, A. J. Dart, C. M. Dart, and D. R. Hodgson, 'Equine castration: review of anatomy, approaches, techniques and complications in normal, cryptorchid and monorchid horses', *Australian Veterinary Journal*, vol. 77, no. 7, 1999 [Online]. Available: [http://www.researchgate.net/profile/Andrew\\_Dart/publication/12847581\\_Equine\\_castration\\_review\\_of\\_anatomy\\_approaches\\_techniques\\_and\\_complications\\_in\\_normal\\_cryptorchid\\_and\\_monorchid\\_horses/links/09e4150871c324cafb000000.pdf](http://www.researchgate.net/profile/Andrew_Dart/publication/12847581_Equine_castration_review_of_anatomy_approaches_techniques_and_complications_in_normal_cryptorchid_and_monorchid_horses/links/09e4150871c324cafb000000.pdf)

[74]

E. L. Squires, B. W. Pickett, and R. P. Amman, 'Effect of successive ejaculation on stallion seminal characteristics. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 27, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289842>

[75]

E. E. Swierstra, M. R. Gebawer, and B. W. Pickett, 'Reproductive physiology of the stallion 1. Spermatogenesis and testis composition', *Journal of Reproduction and Fertility*, vol. 40, 1974, doi: 10.1530/jrf.0.0400113.

[76]

E. E. Swierstra, B. W. Pickett, and M. R. Gebaur, 'Spermatogenesis and duration of transit of spermatozoa through the excurrent ducts of stallions. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 23, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060837>

[77]

M. Tischner, K. Kosiniak, and W. Bielanski, 'Analysis of the pattern of ejaculation in stallions', *Journal of Reproduction of Fertility*, vol. 41, 1974 [Online]. Available: <http://www.reproduction-online.org/content/41/2/329.full.pdf>

[78]

D. L. Thompson, L. Johnson, and J. J. Weist, 'Effects of month and age on prolactin concentrations in stallion serum. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479619>

[79]

D. L. Thompson, B. W. Pickett, E. L. Squires, and R. P. Amman, 'Testicular measurements and reproductive characteristics in stallions.', *Journal of Reproduction and Fertility*, vol. 27, pp. 13-17, 1979.

[80]

J. A. Weber and G. L. Woods, 'Transrectal ultrasonography for the evaluation of stallion accessory sex glands. - Abstract - Europe PubMed Central', *Veterinary Clinics of North America, Equine Practice*, vol. 8, 1992 [Online]. Available: <http://europepmc.org/abstract/med/1576549>

[81]

J. A. Weber and G. L. Woods, 'Ultrasonic measurements of stallion accessory glands and excurrent ducts during seminal emission and ejaculation', *Biology of Reproduction*, vol. 49, 1993 [Online]. Available: <http://www.bioreprod.org/content/49/2/267.full.pdf>

[82]

J. A. Weber, R. T. Geary, and G. L. Woods, 'Changes in accessory sex glands of stallions after sexual preparation and ejaculation. - Abstract - Europe PubMed Central', *Journal of the American Veterinary Medical Association*, vol. 186, no. 7, 1990 [Online]. Available: <http://europepmc.org/abstract/med/2184154>

[83]

A. O. McKinnon and J. L. Voss, 'FSH and LH', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[84]

W. R. Allen, 'Control of ovulation and oestrus in the mare', in Control of ovulation: [proceedings of the 26th. Nottingham Easter School in Agricultural Science], London: Butterworth, 1978.

[85]

W. R. Allen and M. J. Cooper, 'Prostaglandins', in Equine reproduction, Philadelphia: Lea & Febiger, 1993.

[86]

W. E. ALLEN and J. C. HADLEY, 'Blood Progesterone Concentrations in Pregnant and Non-pregnant Mares', Equine Veterinary Journal, vol. 6, no. 2, pp. 87-93, Apr. 1974.

[87]

C. Aurich, H. Hoppe, and J. E. Aurich, 'Role of Endogenous Opioids for Regulation of the Oestrous Cycle in the Horse', Reproduction in Domestic Animals, vol. 30, no. 4, pp. 188-192, Aug. 1995, doi: 10.1111/j.1439-0531.1995.tb00144.x.

[88]

L. Aurich, S. Schlote, H.-O. Hoppen, E. Klug, H. Hope, and J. E. Aurich, 'Effects of the opioid antagonist naloxane on release of LH in mares during the anovulatory season', Journal of Endocrinology, vol. 142, 1994.

[89]

F. Belin, 'Intrafollicular Concentrations of Steroids and Steroidogenic Enzymes in Relation to Follicular Development in the Mare', Biology of Reproduction, vol. 62, no. 5, pp. 1335-1343, May 2000, doi: 10.1095/biolreprod62.5.1335.

[90]

K. Bennett-Wimbush, W. E. Loch, H. Plata-Madrid, and T. Evans, 'The effects of perphenazine and bromocriptine on follicular dynamics and endocrine profiles in anestrus pony mares', Theriogenology, vol. 49, no. 4, pp. 717-733, Mar. 1998, doi: 10.1016/S0093-691X(98)00021-1.

[91]

D. R. Bergfelt and O. J. Ginther, 'Relationships between FSH surges and follicular waves during the estrous cycle in mares', *Theriogenology*, vol. 39, no. 4, pp. 781-796, Apr. 1993.

[92]

D. R. Bergfelt and O. J. Ginther, 'Synchronous fluctuations of LH and FSH in plasma samples collected daily during the estrous cycle in mares', *Theriogenology*, vol. 40, no. 6, pp. 1137-1146, Dec. 1993.

[93]

B. Besognek, B. S. Hansen, and P. C. Daels, 'Dopaminergic regulation of gonadotrophin secretion in seasonally anoestrus mares', *Journal of Reproduction and Fertility*, vol. 108, 1996 [Online]. Available: <http://www.reproduction-online.org/content/108/1/55.full.pdf>

[94]

B. Besognek, B. S. Hansen, and P. F. Daels, 'Prolactin secretion during the transitional phase and relationships to onset of reproductive season in mares', *Biology of Reproductive Monograph Series*, vol. 1, 1995.

[95]

E. M. Carnevale, M. J. Hermenet, and O. J. Ginther, 'Age and pasture effects on vernal transition in mares', *Theriogenology*, vol. 47, no. 5, pp. 1009-1018, Apr. 1997, doi: 10.1016/S0093-691X(97)00058-7.

[96]

B. D. Cleaver, W. R. Grubaugh, S. D. Davies, P. C. Sheerin, K. J. Franklin, and D. C. Sharp, 'Effect of constant light exposure on circulating gonadotrophin levels and hypothalamic gonadotrophin-releasing hormone (GnRH) content in the ovarie... - PubMed - NCBI', *Journal of Reproduction and Fertility, Supplement*, vol. 44, 1991 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/1795268>

[97]

S. L. Crowell-Davis, 'Sexual behavior of mares', *Hormones and Behaviour*, vol. 52:1, 2007 [Online]. Available: <http://sites.oxy.edu/clint//physio/article/sexualbehaviorofmares.pdf>

[98]

J. Cuervo-Arango and J. R. Newcombe, 'Repeatability of preovulatory follicular diameter and uterine edema pattern in two consecutive cycles in the mare and how they are influenced by ovulation inductors', *Theriogenology*, vol. 69, no. 6, pp. 681–687, Apr. 2008, doi: 10.1016/j.theriogenology.2007.11.019.

[99]

P. F. Daels, S. Fatone, B. S. Hansen, and P. W. Concannon, 'Dopamine antagonist-induced reproductive function in anoestrous mares: gonadotrophin secretion... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 56, 2000 [Online]. Available: <http://europepmc.org/abstract/med/20681129>

[100]

P. F. DAELS, G. H. STABENFELDT, H. KINDAHL, and J. P. HUGHES, 'Prostaglandin release and luteolysis associated with physiological and pathological conditions of the reproductive cycle of the mare: a review', *Equine Veterinary Journal*, vol. 21, no. S8, pp. 29–34, Jun. 2010.

[101]

M. A. Diekman, W. Braun, D. Peter, and D. Cook, 'Seasonal serum concentrations of melatonin in cycling and non-cycling mares', *Journal of Animal Science*, vol. 80, 2002 [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/80/11/0802949>

[102]

F. Donadeu and H. Pedersen, 'Follicle Development in Mares', *Reproduction in Domestic Animals*, vol. 43, pp. 224–231, Jul. 2008, doi: 10.1111/j.1439-0531.2008.01166.x.

[103]



K. F. Dowsett, L. M. Knott, R. A. Woodward, and D. A. V. Bodero, 'Seasonal variation in the estrous cycle of mares in the subtropics', *Theriogenology*, vol. 39, no. 3, pp. 631–653, Mar. 1993.

[104]

R. C. Eagle, 'Characterization and Distribution of Gonadotrophs in the Pars Distalis and Pars Tuberalis of the Equine Pituitary Gland During the Estrous Cycle and Seasonal Anestrus', *Biology of Reproduction*, vol. 63, no. 3, pp. 826–832, Sep. 2000, doi: 10.1095/biolreprod63.3.826.

[105]

M. Elhay, A. Newbold, A. Britton, P. Turley, K. Dowsett, and J. Walker, 'Suppression of behavioural and physiological oestrus in the mare by vaccination against GnRH', *Australian Veterinary Journal*, vol. 85, 2007 [Online]. Available: [http://www.researchgate.net/profile/Martin\\_Elhay/publication/6505871\\_Suppression\\_of\\_behavioural\\_and\\_physiological\\_oestrus\\_in\\_the\\_mare\\_by\\_vaccination\\_against\\_GnRH/links/543706160cf2643ab9888eac.pdf](http://www.researchgate.net/profile/Martin_Elhay/publication/6505871_Suppression_of_behavioural_and_physiological_oestrus_in_the_mare_by_vaccination_against_GnRH/links/543706160cf2643ab9888eac.pdf)

[106]

J. E. Fay and R. H. Douglas, 'Changes in thecal and granulosa cell LH and FSH receptor content associated with follicular... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 37, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3119827>

[107]

B. P. Fitzgerald, K. J. Affleck, S. P. Barrows, W. L. Murdock, K. B. Barker, and R. G. Loy, 'Changes in LH pulse frequency and amplitude in intact mares during the transition into the breeding season', *Journal of Reproduction and Fertility*, vol. 79, 1987 [Online]. Available: <http://www.reproduction-online.org/content/79/2/485.full.pdf>

[108]

B. P. Fitzgerald, S. E. Reedy, D. R. Sessions, D. M. Powell, and C. J. McManus, 'Potential signals mediating the maintenance of reproductive activity during the non-breeding season of the mare', *Reproduction*, vol. 59, 2002 [Online]. Available: <http://europepmc.org/abstract/med/12698977>

[109]

M. C. Garcia, L. H. Freedman, and O. J. Ginther, 'Interaction of seasonal and ovarian factors in the regulation of LH and FSH secretion in the mare. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 27, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289780>

[110]

M. C. GARCIA and O. J. GINTHER, 'Effects of Ovariectomy and Season on Plasma Luteinizing Hormone in Mares', *Endocrinology*, vol. 98, no. 4, pp. 958-962, Apr. 1976, doi: 10.1210/endo-98-4-958.

[111]

E. L. Gastal, 'Role of Luteinizing Hormone in Follicle Deviation Based on Manipulating Progesterone Concentrations in Mares', *Biology of Reproduction*, vol. 61, no. 6, pp. 1492-1498, Dec. 1999, doi: 10.1095/biolreprod61.6.1492.

[112]

E. L. Gastal, 'Follicle Deviation and Intrafollicular and Systemic Estradiol Concentrations in Mares', *Biology of Reproduction*, vol. 61, no. 1, pp. 31-39, Jul. 1999, doi: 10.1095/biolreprod61.1.31.

[113]

E. L. Gastal, M. O. Gastal, M. A. Beg, and O. J. Ginther, 'Interrelationships among follicles during the common-growth phase of a follicular wave and capacity of individual follicles for dominance in mares', *Reproduction*, vol. 128, no. 4, pp. 417-422, Oct. 2004, doi: 10.1530/rep.1.00259.

[114]

M. Gastal, E. Gastel, V. Spinelli, and O. J. Ginther, 'Relationships between body condition and follicle development in mares.', *Journal of Animal Reproduction*, vol. 2004, no. 1 [Online]. Available: <http://www.cbpa.org.br/pages/publicacoes/animalreproduction/issues/download/AR015.pdf?q=reproductive-characteristics-of-high-body-condition-mares>

[115]

L. Gentry, D. Thompson, G. Gentry, K. Davis, and R. Godke, 'High versus low body condition in mares, interactions with responses to somatotropin, GnRH analog, and dexamethasone', *Journal of Animal Science*, 2002. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/80/12/3277>

[116]

L. R. Gentry, D. L. Thompson, G. T. Gentry, K. A. Davis, R. A. Godke, and J. A. Cartmill, 'The relationship between body condition, leptin, and reproductive and hormonal characteristics of mares during the seasonal anovulatory period', *Journal of Animal Science*, vol. 80, no. 10, 2002 [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/80/10/0802695>

[117]

O. J. Ginther, *Reproductive biology of the mare: basic and applied aspects*, 2nd ed. Cross Plains, Wis: Equiservices, 1992.

[118]

O. J. Ginther, 'Follicle Selection in Monovular Species', *Biology of Reproduction*, vol. 65, no. 3, pp. 638–647, Sep. 2001, doi: 10.1095/biolreprod65.3.638.

[119]

O. J. Ginther, M. A. Beg, F. X. Donadeu, and D. R. Bergfelt, 'Mechanism of follicle deviation in monovular farm species', *Animal Reproduction Science*, vol. 78, no. 3–4, pp. 239–257, Oct. 2003, doi: 10.1016/S0378-4320(03)00093-9.

[120]

O. J. Ginther and D. R. Bergfelt, 'Growth of small follicles and concentrations of FSH during the equine oestrus cycle', *Journal of Reproduction and Fertility*, vol. 99, 1993 [Online]. Available: <http://www.reproduction-online.org/content/99/1/105.full.pdf>

[121]

O. J. Ginther, 'In Vivo Effects of an Intrafollicular Injection of Insulin-Like Growth Factor 1 on the Mechanism of Follicle Deviation in Heifers and Mares', *Biology of Reproduction*, vol. 70, no. 1, pp. 99–105, Sep. 2003, doi: 10.1095/biolreprod.103.021949.

[122]

O. J. Ginther, E. Gastel, M. Gastel, and M. Beg, 'Seasonal influence on equine follicle dynamics', *The Journal of Animal Reproduction*, vol. 1, 2004 [Online]. Available: <http://www.cbpa.org.br/pages/publicacoes/animalreproduction/issues/download/v1n1/AR003.pdf>

[123]

O. J. Ginther, 'Critical Role of Insulin-Like Growth Factor System in Follicle Selection and Dominance in Mares', *Biology of Reproduction*, vol. 70, no. 5, pp. 1374–1379, Jan. 2004, doi: 10.1095/biolreprod.103.026195.

[124]

O. J. Ginther, 'Dose-Response Study of Intrafollicular Injection of Insulin-Like Growth Factor-I on Follicular Fluid Factors and Follicle Dominance in Mares', *Biology of Reproduction*, vol. 70, no. 4, pp. 1063–1069, Nov. 2003, doi: 10.1095/biolreprod.103.024844.

[125]

O. J. Ginther, 'Follicle and Endocrine Dynamics During Experimental Follicle Deviation in Mares', *Biology of Reproduction*, vol. 67, no. 3, pp. 862–867, Sep. 2002, doi: 10.1095/biolreprod.102.004309.

[126]

A. K. Goff, D. Pontbriand, and J. Sirios, 'Oxytocin stimulation of plasma 15-keto-13,14-dihydro prostaglandin F-2 alpha during the... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479581>

[127]

W. Grubaugh et al., 'Effects of pinealectomy in Pony mares. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 32, 1982 [Online]. Available: <http://europepmc.org/abstract/med/6962863>

[128]

M. V. Guerin and X. J. Wang, 'Environmental temperature has an influence on timing of the first ovulation of seasonal estrus in the mare', *Theriogenology*, vol. 42, no. 6, pp. 1053-1060, Nov. 1994.

[129]

M. V. Guerin, J. R. Deed, D. J. Kennaway, and C. D. Matthews, 'Plasma melatonin in the horse: Measurements in natural photoperiod and in acutely extended darkness throughout the year', *Journal of Pineal Research*, vol. 19, no. 1, pp. 7-15, Aug. 1995.

[130]

M. E. Hay, W. R. Allen, and I. M. Lewis, 'The distribution of  $\Delta^5$  3 $\beta$  - hydroxysteroid dehydrogenase in the Graafian follicle of the mare', *Journal of Reproduction and Fertility*, vol. 23, 1975.

[131]

I. Imboden, F. Janett, D. Burger, M. A. Crowe, M. Hassig, and R. Thun, 'Influence of immunization against GnRH on reproductive cyclicity and estrous behavior in the mare', *Theriogenology*, vol. 66, no. 8, 2006 [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0093691X06002883>

[132]

C. H. Irvine and S. L. Alexander, 'Secretory patterns and rates of gonadotropin-releasing hormone, follicle-stimulating hormone, and luteinizing hormone revealed by intensive sampling of pituitary venous blood in the luteal phase mare.', *Endocrinology*, vol. 132, no. 1, pp. 212-218, Jan. 1993.

[133]

A. L. Johnson, 'Serum Concentrations of Prolactin, Thyroxine and Triiodothyronine Relative to Season and the Estrous Cycle in the Mare', *Journal of Animal Science*, vol. 62, no. 4, 1986, doi: doi:10.2527/jas1986.6241012x.

[134]

S. P. Kalra and P. S. Kalra, 'Do testosterone and estradiol 17 enforce stimulation of luteinising hormone-releasing hormone secretion', *Biology of Reproduction*, vol. 41, 1986 [Online]. Available: <http://www.biolreprod.org/content/41/4/559.full.pdf>

[135]

C. H. G. Irvine and S. L. Alexander, 'A novel technique for measuring hypothalamic and pituitary hormone secretion rates from collection of pituitary venous effluent in the normal horse', *Journal of Endocrinology*, vol. 113, no. 2, pp. 183–192, May 1987.

[136]

C. H. G. Irvine and S. L. Alexander, 'The dynamics of gonadotrophin-releasing hormone, LH and FSH secretion during the spontaneous ovulatory surge of the mare as revealed by intensive sampling of pituitary venous blood', *Journal of Endocrinology*, vol. 140, no. 2, pp. 283–295, Feb. 1994.

[137]

A. J. W. Hsueh, E. A. McGee, M. Hayashi, and S. Y. Hsu, 'Hormonal regulation of early follicular development in the rat ovary', *Molecular and cellular endocrinology*, vol. 163, 2000 [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0303720799002452>

[138]

D. N. Kilmer, D. C. Sharp, L. A. Berhund, W. Grubaugh, K. J. McDowell, and L. S. Peck, 'Melatonin rhythms in Pony mares and foals. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 32, 1982 [Online]. Available: <http://europepmc.org/abstract/med/6962864>

[139]

S. S. King, K. L. Jones, B. A. Mullenix, and D. T. Heath, 'Seasonal relationships between dopamine D1 and D2 receptor and equine FSH receptor mRNA in equine ovarian epithelium', *Animal Reproduction Science*, vol. 108, no. 1-2, pp. 259-266, Oct. 2008, doi: 10.1016/j.anireprosci.2007.08.007.

[140]

D. Marković, M. Pavlović, and V. Pavlović, 'Seasonality, folliculogenesis and luteogenesis in mare ovaries', *Medicine and Biology*, vol. 10, no. 3, 2003 [Online]. Available: <http://facta.junis.ni.ac.rs/mab/mab200303/mab200303-05.pdf>

[141]

M. M. Matzuk, 'Revelations of ovarian follicle biology from gene knockout mice', *Molecular and Cellular Endocrinology*, vol. 163, no. 1-2, pp. 61-66, May 2000, doi: 10.1016/S0303-7207(99)00241-5.

[142]

PA. Melrose, R. F. Walker, and R. H. Douglas, 'Dopamine in the Cerebrospinal Fluid of Prepubertal and Adult Horses', *Brain, Behavior and Evolution*, vol. 35, no. 2, pp. 98-106, 1990.

[143]

M. Mihm and A. Evans, 'Mechanisms for Dominant Follicle Selection in Monovulatory Species: A Comparison of Morphological, Endocrine and Intraovarian Events in Cows, Mares and Women', *Reproduction in Domestic Animals*, vol. 43, pp. 48-56, Jul. 2008, doi: 10.1111/j.1439-0531.2008.01142.x.

[144]

S. M. Montovan, P. P. Daels, J. Rivier, J. P. Hughes, G. H. Stabenfeldt, and B. L. Lasley, 'The effect of a potent GnRH agonist on gonadal and sexual activity in the horse', *Theriogenology*, vol. 33, no. 6, pp. 1305-1321, Jun. 1990.

[145]

Y. Nambo et al., 'Mechanisms responsible for increase in circulating inhibin levels at the

time of ovulation in mares', *Theriogenology*, vol. 57, no. 6, pp. 1707–1717, Apr. 2002, doi: 10.1016/S0093-691X(02)00683-0.

[146]

P. Nagy, D. Guillaume, and P. Daels, 'Seasonality in mares', *Animal Reproduction Science*, vol. 60–61, pp. 245–262, Jul. 2000, doi: 10.1016/S0378-4320(00)00133-0.

[147]

P. Nagy et al., 'Factors affecting plasma progesterone concentration and the retrospective determination of time of ovulation in cyclic mares', *Theriogenology*, vol. 61, no. 2–3, pp. 203–214, Jan. 2004, doi: 10.1016/S0093-691X(03)00211-5.

[148]

D. P. Neely, H. Kindahl, G. H. Stabenfeldt, L. E. Edqvist, and J. P. Hughes, 'Prostaglandin release patterns in the mare: physiological, pathophysiological, and therapeutic responses. - PubMed - NCBI', *Journal of Reproduction and Fertility*, vol. 27, 1979 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/289787>

[149]

L. G. Nequin, S. S. King, A. L. Johnson, G. M. Gow, and G. M. Ferreira-Dias, 'Prolactin may play a role in stimulating the equine ovary during the spring reproductive transition', *Journal of Equine Veterinary Science*, vol. 13, no. 11, pp. 631–635, Nov. 1993.

[150]

T. M. Nett, 'Estrogens', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[151]

T. M. Nett, 'Reproductive peptide and protein hormones', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[152]



P. A. Noden, W. D. Oxender, and H. D. Hafs, 'The cycle of oestrus, ovulation and plasma levels of hormones in the mare. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 23, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060776>

[153]

P. Pantke, J. Hyland, D. B. Galloway, A. A. MacLean, and H. O. Hoppen, 'Changes in luteinizing hormone bioactivity associated with gonadotrophin pulses in the cycling... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795256>

[154]

C. R. F. Pinto, D. L. Paccamonti, B. E. Eilts, C. R. Short, and R. A. Godke, 'Effect of nitric oxide synthase inhibitors on ovulation in hCG-stimulated mares', *Theriogenology*, vol. 58, no. 5, pp. 1017–1026, Sep. 2002, doi: 10.1016/S0093-691X(02)00932-9.

[155]

C. R. F. Pinto et al., 'Concentrations of nitric oxide in equine preovulatory follicles before and after administration of human chorionic gonadotropin', *Theriogenology*, vol. 60, no. 5, pp. 819–827, Sep. 2003, doi: 10.1016/S0093-691X(03)00096-7.

[156]

M. A. Pozar, S. M. McDonnell, R. M. Kenny, and M. Tischner, 'GnRH facilitates copulatory behaviour in geldings treated with testosterone', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: [http://www.researchgate.net/profile/Sue\\_Mcdonnell/publication/242180053\\_GnRH\\_facilitates\\_copulatory\\_behaviour\\_in\\_geldings\\_treated\\_with\\_testosterone/links/5454fd9b0cf2cf51647dcfd3.pdf](http://www.researchgate.net/profile/Sue_Mcdonnell/publication/242180053_GnRH_facilitates_copulatory_behaviour_in_geldings_treated_with_testosterone/links/5454fd9b0cf2cf51647dcfd3.pdf)

[157]

J. Pycock, S. Dieleman, P. Drifjhout, Y. Brug, C. Oei, and G. Weijden, 'Correlation of plasma concentrations of progesterone and oestradiol with ultrasound characteristics of the uterus and duration of oestrous behaviour in the cycling mare', *Reproduction in Domestic Animals*, vol. 30, no. 4, pp. 224–227, Aug. 1995, doi: 10.1111/j.1439-0531.1995.tb00150.x.

[158]

J. F. Roser, P. M. McCue, and E. Hoye, 'Inhibin activity in the mare and stallion', *Domestic Animal Endocrinology*, vol. 11, no. 1, pp. 87-100, Jan. 1994.

[159]

S. K. Roy and G. S. Greenwald, 'In vitro steroidogenesis by primary to antral follicles in the hamster during the periovulatory period: Effects of follicle stimulating hormone, luteinizing hormone and prolactin', *Biology of Reproduction*, vol. 37, 1987 [Online]. Available: <http://www.biolreprod.org/content/37/1/39.full.pdf>

[160]

A. Sarwar, H. Enbergs, and E. Klug, 'Influence of parity, age, mineral and trace element-mixture supplementation on puerperal status in mares: analysis and quantification through progesterone profiles', *Veterinarski Arhiv*, vol. 68, 1998 [Online]. Available: <http://www.vef.unizg.hr/vetarhiv/papers/68-1/sarwar.htm>

[161]

D. C. Sharp and B. D. Clever, 'Melatonin', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[162]

D. C. SHARP, 'Transition into the breeding season: clues to the mechanisms of seasonality', *Equine Veterinary Journal*, vol. 20, no. 3, pp. 159-161, May 1988.

[163]

R. V. SHORT, 'STERIODS IN THE FOLLICULAR FLUID AND THE CORPUS LUTEUM OF THE MARE. A "TWO-CELL TYPE" THEORY OF OVARIAN STEROID SYNTHESIS', *Journal of Endocrinology*, vol. 24, no. 1, pp. 59-63, Mar. 1962.

[164]

P. J. Silva, E. L. Squires, and T. M. Nett, 'Changes in the hypothalamic-hypophysial axis of mares associated with seasonal reproductive recrudescences', *Biology of Reproduction*,

vol. 35, 1986 [Online]. Available: <http://www.biolreprod.org/content/35/4/897.full.pdf>

[165]

J. SIROIS, B. A. BALL, and J. E. FORTUNE, 'Patterns of growth and regression of ovarian follicles during the oestrous cycle and after hemiovariectomy in mares', *Equine Veterinary Journal*, vol. 21, no. S8, pp. 43-48, Jun. 2010.

[166]

L. J. Spicer, K. E. Tucker, K. A. Henderson, and R. T. Doby, 'Concentrations of insulin like growth factor-1 in follicular fluid and blood plasma of mares during early and late oestrus', *Animal Reproduction Science*, vol. 25, 1991.

[167]

E. L. Squires, 'Progesterone', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[168]

K. R. Stevenson, T. J. Parkinson, and D. C. Wathes, 'Measurements of oxytocin concentration in plasma and ovarian extracts during the oestrus cycle of mares', *Journal of Reproduction and Fertility*, vol. 93, 1991 [Online]. Available: <http://www.reproduction-online.org/content/93/2/437.full.pdf>

[169]

S. S. Strauss, C. L. Chen, S. P. Kalra, and D. C. Sharp, 'Localization of gonadotrophin-releasing hormone (GnRH) in the hypothalamus of ovariectomized...', *Journal of Reproduction and Fertility*, vol. 27, 1979.

[170]

Y. Tanaka et al., 'Ovarian secretion of inhibin in mares', *Journal of Reproduction and Fertility*, vol. 56, 2000 [Online]. Available: <http://europepmc.org/abstract/med/20681135>

[171]

T. A. Tetzke, S. Ismail, G. Mikuckis, and J. W. Evans, 'Patterns of oxytocin secretion during the oestrous cycle of the mare. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479579>

[172]

D. L. Thompson, R. Hoffman, and C. L. DePew, 'Prolactin administration to seasonally anoestrous mares: Reproductive, metabolic and hair-shedding responses', *Journal of Animal Science*, vol. 75, 1997, doi: /1997.7541092x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/75/4/1092>

[173]

D. L. Thompson and L. Johnson, 'Concentrations of prolactin luteinizing hormone and follicle stimulating hormone in pituitary and serum of horses. Effect of sex, season and reproductive state', *Journal of Animal Science*, vol. 63, 1986, doi: 10.2134/jas1986.633854x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/63/3/JAN0630030854>

[174]

K. E. Tucker, K. A. Henderson, and R. T. Duby, 'In vitro steroidogenesis by granulosa cells from equine pre-ovulatory follicles.', *Journal of Reproduction and Fertility*, vol. 44, 1991.

[175]

J. E. Turner and C. H. Irvine, 'The effect of various gonadotrophin-releasing hormone regimens on gonadotrophins, follicular...', *Journal of Reproduction and Fertility*, vol. 44, 1991.

[176]

E. Watson, A. McDonnell, and D. Cuddeford, 'Characteristics of cyclicity in maiden thoroughbred mares in the United Kingdom', *Veterinary Record*, vol. 135, no. 5, pp. 104-106, Jul. 1994.

[177]

E. D. Watson, H. G. Pedersen, S. R. M. Thomson, and H. M. Fraser, 'Control of follicular development and luteal function in the mare: Effects of a GnRH antagonist', *Theriogenology*, vol. 54, no. 4, pp. 599-609, Sep. 2000, doi: 10.1016/S0093-691X(00)00375-7.

[178]

B. J. Weedman, S. S. King, K. R. Neumann, and L. G. Nequin, 'Comparison of circulating estradiol-178 and folliculogenesis during the breeding season, autumn transition and anestrus in the mare', *Journal of Equine Veterinary Science*, vol. 13, no. 9, pp. 502-505, Sep. 1993.

[179]

J. A. Weeson and O. J. Ginther, 'Influence of season and age on reproductive activity in pony mares on the basis of a slaughterhouse survey', *Journal of Animal Science*, 1981. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/52/1/JAN0520010119>

[180]

T. Wilson, 'Highly Prolific Booroola Sheep Have a Mutation in the Intracellular Kinase Domain of Bone Morphogenetic Protein IB Receptor (ALK-6) That Is Expressed in Both Oocytes and Granulosa Cells', *Biology of Reproduction*, vol. 64, no. 4, pp. 1225-1235, Apr. 2001, doi: 10.1095/biolreprod64.4.1225.

[181]

K. Worthy, K. Colquhoun, R. Escreet, M. Dunlop, J. P. Renton, and T. A. Douglas, 'Plasma prolactin concentrations in non-pregnant mares at different times of the year and in... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479582>

[182]

R. P. Amann, 'A review of anatomy and physiology of the stallion', *Journal of Equine Veterinary Science*, vol. 1, no. 3, pp. 83-105, May 1981, doi: 10.1016/S0737-0806(81)80022-6.

[183]

R. P. Amann, 'Spermatogenesis in the stallion: A review', *Journal of Equine Veterinary Science*, vol. 1, no. 4, pp. 131-139, Jul. 1981.

[184]

R. P. Amman, 'Physiology and endocrinology', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[185]

C. M. Argo, J. E. Cox, and J. L. Gray, 'Effect of oral melatonin treatment on the seasonal physiology of pony stallions. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, 1991. [Online]. Available: <http://europepmc.org/abstract/med/1795254>

[186]

C. Aurich, H. Sieme, H. Happe, and R. Schlota, 'Involvement of endogenous opioids in the regulation of LH and testosterone release in the male horse', *Journal of Reproduction and Fertility*, vol. 102, 1994 [Online]. Available: <http://www.reproduction-online.org/content/102/2/327.full.pdf>

[187]

W. E. Berndston and L. S. Jones, 'Relationship of intratesticular testosterone content to age, spermatogenesis, sertoli cell distribution and germ cell: ratio', *Journal of Reproduction and Fertility*, vol. 85, 1989 [Online]. Available: <http://www.reproduction-online.org/content/85/2/511.full.pdf>

[188]

B. Besognet, B. S. Hansen, and P. L. Daels, 'Dopaminergic regulation of gonadotrophin secretion in seasonally anoestrus mares', *Journal of Reproduction and Fertility*, vol. 108, 1996 [Online]. Available: <http://www.reproduction-online.org/content/108/1/55.full.pdf>

[189]

B. J. Blue et al., 'Effect of pulsatile or continuous administration of GnRH on reproductive function of stallions. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795258>

[190]

T. L. Blanchard et al., 'Pulsatile release of gonadotropins in young pony stallions', *Theriogenology*, vol. 34, no. 6, pp. 1087-1097, Jan. 1990.

[191]

P. J. Burns, P. Kumaresan, and R. H. Douglas, 'Plasma oxytocin concentrations in cyclic mares and sexually aroused stallions', *Theriogenology*, vol. 16, no. 5, pp. 531-539, Nov. 1981.

[192]

J. W. Christensen, T. Zharkikh, J. Ladewig, and N. Yasinetskaya, 'Social behaviour in stallion groups (*Equus przewalskii* and *Equus caballus*) kept under natural and domestic conditions', *Applied Animal Behaviour and Science*, vol. 76, 2002 [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0168159101002088>

[193]

C. M. Clay and J. N. Clay, 'Endocrine and testicular changes associated with season, artificial photoperiod, and the... - Abstract - Europe PubMed Central', *Veterinary Clinics of North America Equine Practice*, vol. 8, 1992 [Online]. Available: <http://europepmc.org/abstract/med/1576553>

[194]

C. M. Clay, E. L. Squires, R. R. Amann, and T. M. Nett, 'Influences of season and artificial photoperiod on stallions: Luteinizing hormone, follicle stimulating hormone and testosterone', *Journal of Animal Science*, vol. 66, 1988 [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/66/5/JAN0660051246>

[195]

C. M. Clay, E. L. Squire, R. R. Amann, and T. M. Nett, 'Influences of season and artificial

photoperiod on stallion's pituitary and testicular responses to exogenous GnRH', *Journal of Animal Science*, vol. 67, 1989 [Online]. Available:  
<https://dl.sciencesocieties.org/publications/jas/abstracts/67/3/JAN0670030763>

[196]

R. Claus, M. A. Dimmick, T. Gimenez, and L. W. Hudson, 'Estrogens and prostaglandin F2 $\alpha$  in the semen and blood plasma of stallions', *Theriogenology*, vol. 38, no. 4, pp. 687-693, Oct. 1992.

[197]

M. G. R. Collingsworth, Z. Fuller, J. E. Cox, and C. McG. Argo, 'Changes in plasma gonadotrophin and prolactin concentrations following castration of the pony stallion', *Theriogenology*, vol. 55, no. 5, pp. 1171-1180, Mar. 2001, doi:  
10.1016/S0093-691X(01)00475-7.

[198]

V. K. Ganjam, 'Episodic nature of the delta 4-ene and delta 5-ene steroidogenic pathways and their...', *Journal of Reproduction and Fertility*, vol. 27, 1979.

[199]

M. F. Hess and J. F. Roser, 'The effects of age, season and fertility status on plasma and intratesticular insulin-like growth factor I concentration in stallions', *Theriogenology*, vol. 56, no. 5, pp. 723-733, Sep. 2001, doi: 10.1016/S0093-691X(01)00602-1.

[200]

C. H. G. Irvine, 'Gonadotrophin-releasing hormone', *Journal of Equine Veterinary Science*, vol. 3, 1984 [Online]. Available:  
<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1436119/pdf/jcpsuppasso00011-0051.pdf>

[201]

C. H. G. Irvine and S. L. Alexander, 'Effect of sexual arousal on gonadotrophin-releasing hormone, luteinizing hormone and... - Abstract - Europe PubMed Central', *Journal of*



Reproduction and Fertility, 1991. [Online]. Available:  
<http://europepmc.org/abstract/med/1795257>

[202]

C. H. G. Irvine, S. L. Alexander, and J. E. Turner, 'Seasonal variation in the feedback of sex steroid hormones on serum LH concentration in the male horse', *Journal of Reproduction and Fertility*, vol. 76, 1986 [Online]. Available:  
<http://www.reproduction-online.org/content/76/1/221.full.pdf>

[203]

C. H. G. Irvine and S. L. Alexander, 'GnRH', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[204]

L. Johnson, 'Spermatogenesis', in *Reproduction in domestic animals*, 3rd ed., New York: Academic Press, 1977.

[205]

L. Johnson, 'Seasonal differences in equine spermatogenesis', *Biology of Reproduction*, vol. 44, 1991 [Online]. Available: <http://www.biolreprod.org/content/44/2/284.full.pdf>

[206]

L. Johnson and D. L. Thompson, 'Age related and seasonal variation in sertoli cell population daily spermatozoa production and serum concentrations of FSH, LH, and testosterone in stallions', *Biology of Reproduction*, vol. 29, 1983 [Online]. Available:  
<http://www.biolreprod.org/content/29/3/777.full.pdf>

[207]

L. Johnson, D. D. Varner, M. E. Tatum, and W. L. Scrutchfield, 'Season but not age affects Sertoli cell numbers in adult stallions', *Biology of Reproduction*, vol. 45, 1991 [Online]. Available: <http://www.biolreprod.org/content/45/3/404.full.pdf>

[208]

L. Johnson, D. Varner, and D. L. Thompson, 'Effect of age and season on the establishment of spermatogenesis in the horse.', *Journal of Reproduction and Fertility*, vol. 44, pp. 87-97, 1991.

[209]

A. L. Lang, M. M. Vogelsang, and G. D. Potter, 'Circadian patterns of plasma LH, and testosterone concentrations in stallions in summer and winter', *Proceedings of the 14th Equine Nutrition and Physiology Symposium ... - Google Books [Online]*. Available: [https://books.google.co.uk/books/about/Proceedings\\_of\\_the\\_14th\\_Equine\\_Nutrition.html?id=pz82MwEACAAJ&redir\\_esc=y](https://books.google.co.uk/books/about/Proceedings_of_the_14th_Equine_Nutrition.html?id=pz82MwEACAAJ&redir_esc=y)

[210]

S. M. McDonnell, 'Reproductive behavior of stallions and mares: comparison of free-running and domestic in-hand breeding', *Animal Reproduction Science*, vol. 60-61, pp. 211-219, Jul. 2000, doi: 10.1016/S0378-4320(00)00136-6.

[211]

S. Madill, 'Reproductive considerations: mare and stallion', *Veterinary Clinic of North America Equine Practice*, vol. 18, no. 3, 2002 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/12516936>

[212]

L. MALMGREN, Ø. ANDRESEN, and A.-M. DALIN, 'Effect of GnRH immunisation on hormonal levels, sexual behaviour, semen quality and testicular morphology in mature stallions', *Equine Veterinary Journal*, vol. 33, no. 1, pp. 75-83, Jan. 2010, doi: 10.2746/042516401776767340.

[213]

J. Naden, R. R. Amann, and E. L. Squires, 'Testicular growth, hormone concentrations, seminal characteristics and sexual behaviour in stallions', *Journal of Reproduction and Fertility*, vol. 88, 1990 [Online]. Available: <http://www.reproduction-online.org/content/88/1/167.full.pdf>

[214]

T. M. Nett, 'Reproductive peptide protein hormones', in Equine reproduction, Philadelphia: Lea & Febiger, 1993.

[215]

B. W. Pickett and J. L. Voss, 'Reproductive management of stallions', in Proceedings of the 14th Equine Nutrition and Physiology Symposium ... - Google Books, Equine Nutrition and Physiology Society, 1995 [Online]. Available:  
[https://books.google.co.uk/books/about/Proceedings\\_of\\_the\\_14th\\_Equine\\_Nutrition.html?id=pz82MwEACAAJ&redir\\_esc=y](https://books.google.co.uk/books/about/Proceedings_of_the_14th_Equine_Nutrition.html?id=pz82MwEACAAJ&redir_esc=y)

[216]

B. W. Pickett, R. P. Amman, A. O. McKinnon, E. L. Squires, and J. L. Voss, 'Management of the stallion for maximum reproductive efficiency II', in Animal Reproduction Laboratory Bulletin 5, 1989.

[217]

M. A. Pozar, S. M. McDonnell, R. M. Kenney, and M. Tixhner, 'GnRH facilitates copulatory behaviour in geldings treated with test', Journal of Reproduction and Fertility, vol. 44, 1991 [Online]. Available:  
[http://www.researchgate.net/profile/Sue\\_Mcdonnell/publication/242180053\\_GnRH\\_facilitates\\_copulatory\\_behaviour\\_in\\_geldings\\_treated\\_with\\_testosterone/links/5454fd9b0cf2cf51647dcfd3.pdf](http://www.researchgate.net/profile/Sue_Mcdonnell/publication/242180053_GnRH_facilitates_copulatory_behaviour_in_geldings_treated_with_testosterone/links/5454fd9b0cf2cf51647dcfd3.pdf)

[218]

J. F. Roser and J. P. Hughes, 'Prolonged pulsatile administration of gonadotrophin-releasing hormone (GnRH) to fertile stallions. - Abstract - Europe PubMed Central', Journal of Reproduction and Fertility, vol. 44, 1991 [Online]. Available:  
<http://europepmc.org/abstract/med/1665513>

[219]

J. F. Roser, 'Endocrine basis for testicular function in the stallion', Theriogenology, vol. 48, no. 5, pp. 883-892, Oct. 1997, doi: 10.1016/S0093-691X(97)00309-9.

[220]

P. D. Rosedale and S. W. Ricketts, *Equine stud farm medicine*, 2nd ed. London: Baillière Tindall.

[221]

M. Seamens, J. F. Roser, R. L. Linford, D. M. Liu, and J. P. Hughes, 'Gonadotrophin and steroid concentrations in jugular and testicular venous plasma in stallions... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795300>

[222]

O. P. Sharman, 'Diurnal variations of plasma testosterone in stallions', *Biology of Reproduction*, vol. 15, 1976 [Online]. Available: <http://www.biolreprod.org/content/15/2/158.full.pdf>

[223]

D. C. Sharp and D. I. Clever, 'Melatonin', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[224]

B. L. Stewart and J. F. Roser, 'Effects of age, season, and fertility status on plasma and intratesticular immunoreactive (IR) inhibin concentrations in stallions', *Domestic Animal Endocrinology*, vol. 15, no. 2, pp. 129-139, Mar. 1998, doi: 10.1016/S0739-7240(97)00083-0.

[225]

T. A. E. Stout, 'Modulating reproductive activity in stallions: A review', *Animal Reproduction Science*, vol. 89, no. 1-4, pp. 93-103, Oct. 2005, doi: 10.1016/j.anireprosci.2005.06.015.

[226]

T. A. E. Stout and B. Colenbrander, 'Suppressing reproductive activity in horses using

GnRH vaccines, antagonists or agonists', *Animal Reproduction Science*, vol. 82–83, pp. 633–643, Jul. 2004, doi: 10.1016/j.anireprosci.2004.04.009.

[227]

C. Thomson, D. L. Thompson, L. A. Kincaid, and M. R. Nadel, 'Prolactin involvement with the increase in seminal volume after sexual stimulation in stallions', *Journal of Animal Science*, vol. 74, 1996, doi: /1996.74102468x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/74/10/2468>

[228]

D. L. Thompson and P. G. Honey, 'Active immunisation of prepubertal colts against estrogens, hormonal and testicular response after puberty', *Journal of Animal Science*, vol. 51, 1984, doi: 10.2134/jas1984.591189x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/59/1/JAN0590010189>

[229]

D. L. Thompson, L. Johnson, R. L. St. George, and F. Garza, 'Concentrations of prolactin, luteinizing hormone and follicle stimulating hormone in the pituitary and serum of horses. Effect of sex, season and reproductive state', *Journal of Animal Science*, vol. 63, 1986, doi: 10.2134/jas1986.633854x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/63/3/JAN0630030854>

[230]

D. L. Thompson, R. L. St. George, L. S. Jones, and F. Garza, 'Patterns of secretion of LH, FSH, and testosterone in stallions during the summer and winter.', *Journal of Animal Science*, vol. 60, 1985, doi: 10.2134/jas1985.603741x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/60/3/JAN0600030741>

[231]

M. Villani et al., 'Effects of Mating on Plasma Concentrations of Testosterone, Cortisol, Oestrone Sulphate and 15-Ketodihydro-PGF<sub>2</sub> in Stallions', *Reproduction in Domestic Animals*, vol. 41, no. 6, pp. 544–548, Dec. 2006, doi: 10.1111/j.1439-0531.2006.00711.x.

[232]

J. A. Weber and G. L. Woods, 'Ultrasonic measurements of stallion accessory glands and excurrent ducts during seminal emission and ejaculation', *Biology of Reproduction*, vol. 49, 1993 [Online]. Available: <http://www.biolreprod.org/content/49/2/267.full.pdf>

[233]

W. R. Allen, 'The diagnosis and handling of early gestational abnormalities in the mare', *Animal Reproduction Science*, vol. 28, no. 1-4, pp. 31-38, Jul. 1992, doi: 10.1016/0378-4320(92)90088-U.

[234]

C. G. V. Ainsworth and J. H. Hyland, 'Continuous infusion of gonadotrophin-releasing hormone (GnRH) advances the onset of oestrous... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795265>

[235]

S. L. Alexander and C. H. G. Irvine, 'Control of onset of breeding season in the mare and its artificial regulation by progesterone... - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795275>

[236]

W. R. ALLEN et al., 'Further Studies on the Use of Synthetic Prostaglandin Analogues for Inducing Luteolysis in Mares', *Equine Veterinary Journal*, vol. 6, no. 1, pp. 31-35, Jan. 1974, doi: 10.1111/j.2042-3306.1974.tb03925.x.

[237]

W. R. Allen, 'Control of Oestrus and Ovulation in the Mare', in *Control of ovulation: [proceedings of the 26th. Nottingham Easter School in Agricultural Science]*, London: Butterworth, 1978.

[238]

W. R. Allen and K. E. A. Rowson, 'Control of the mares oestrous cycle by prostaglandins', *Journal of Reproduction and Fertility*, vol. 33, 1973 [Online]. Available: <http://www.reproduction-online.org/content/33/3/539.full.pdf>

[239]

C. M. Argo, J. E. Cox, and J. L. Gray, 'Effect of oral melatonin treatment on the seasonal physiology of pony stallions. - Abstract - Europe PubMed Central', *Journal of Reproduction and Fertility*, vol. 44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795254>

[240]

C. Arrott et al., 'Biodegradable estradiol microspheres do not affect uterine involution or characteristics of postpartum estrus in mares', *Theriogenology*, vol. 42, no. 2, pp. 371-384, Aug. 1994, doi: 10.1016/0093-691X(94)90282-8.

[241]

A. C. Ashbury, 'Examination of the mare', in *Equine medicine and surgery*, 4th ed., Goleta, Calif: American Veterinary Publications, 1991.

[242]

B. A. Ball and S. P. Brinsko, 'Early Embryo loss - a research update', in *Modern Horse Breeding IX*, .

[243]

S. Barbacini, G. Zavaglia, P. Gulden, V. Marchi, and D. Necchi, 'Retrospective study on the efficacy of hCG in an equine artificial insemination programme using frozen semen', *Equine Veterinary Education*, vol. 12, no. 6, pp. 312-317, Jan. 2010, doi: 10.1111/j.2042-3292.2000.tb00067.x.

[244]

R. J. Bell and F. M. Bristol, 'Fertility and pregnancy loss after delay of foal oestrus with progesterone and oestradiol 17', *Journal of Reproduction and Fertility*, Supplement, vol. 35, 1987.

[245]

K. Bennett-Wimbush<sup>1</sup>, W.E. Loch<sup>2</sup>, H. Plata-Madrid<sup>2</sup>, T. Evans<sup>3</sup>, 'The effects of perphenazine and bromocriptine on follicular dynamics and endocrine profiles in anestrus pony mares', *The effects of perphenazine and bromocriptine on follicular dynamics and endocrine profiles in anestrus pony mares* Recommended articles Download PDFs, vol. 49, no. 4, pp. 717–733, doi: 10.1016/S0093-691X(98)00021-1. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0093691X98000211>

[246]

D. R. Bergfelt and G. P. Adams, 'Ovarian synchronization following follicle ablation in mares', *Theriogenology*, vol. 45, 1996 [Online]. Available: <https://www.infona.pl/resource/bwmeta1.element.elsevier-37ec66d8-e950-394e-a187-31b0b6569a0e>

[247]

D. R. Bergfelt, C. Meira, J. J. Fleury, P. D. C. Fleury, J. A. Dell'Aqua, and G. P. Adams, 'Ovulation synchronization following commercial application of ultrasound-guided follicle ablation during the estrous cycle in mares', *Theriogenology*, vol. 68, no. 8, pp. 1183–1191, Nov. 2007, doi: 10.1016/j.theriogenology.2007.08.020.

[248]

T. L. Blanchard and M. L. Macpherson, 'Breeding mares on foal heat', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[249]

T. L. Blanchard et al., 'Mating mares on foal heat: a five-year retrospective study. - CAB Direct', *American Association of of Equine Practitioners*, 2004 [Online]. Available: <http://www.cabdirect.org/abstracts/20053193852.html;jsessionid=83D515E2C3F9E9E0CCD8D19B4C9D0757>

[250]

T. L. Blanchard et al., 'Influence of day of postpartum breeding on pregnancy rate, pregnancy loss rate, and foaling rate in Thoroughbred mares', *Theriogenology*, vol. 77, no.



7, pp. 1290–1296, Apr. 2012, doi: 10.1016/j.theriogenology.2011.10.034.

[251]

A. T. Bowling, L. Milton, and J. P. Hughes, 'An update of chromosomal abnormalities in mares.', *Journal of Reproduction and Fertility*, vol. 35, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479571>

[252]

E. A. Bradecamp, 'Synchronisation of Ovulation', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[253]

J. P. Brendemuehl and D. L. Cross, 'Influence of the dopamine antagonist domperidone on the vernal transition in seasonally anoestrous mares.', *Journal of Reproduction and Fertility*, vol. 56, 2000 [Online]. Available: <http://europepmc.org/abstract/med/20681130>

[254]

F. Bristol, 'Oestrus synchronisation in mares', in *Current therapy in theriogenology: diagnosis, treatment and prevention of reproductive diseases in animals*, Philadelphia: Saunders, 1980.

[255]

J. Burkhardt, 'Transition from anoestrus in the mare and the effects of artificial lighting', *The Journal of Agricultural Science*, vol. 37, no. 01, Jan. 1947, doi: 10.1017/S0021859600013083.

[256]

Burns SJ, C. H. Irvine, and M. S. Amoss, 'Fertility of prostaglandine induced oestrus compared to normal post-partum oestrus', *Journal of Reproduction and Fertility*, vol. 27, 1979, doi: info:pmid/289796. [Online]. Available: <http://europepmc.org/abstract/med/289796>

[257]

E. Carnevale, M. Uson, J. Bozzola, S. King, S. Schmitt, and H. Gates, 'Comparison of oocytes from young and old mares with light and electron microscopy', *Theriogenology*, vol. 51, no. 1, Jan. 1999, doi: 10.1016/S0093-691X(99)91858-7.

[258]

M. J. Cooper, 'Prostaglandins in Veterinary practice', *In Practice*, vol. 3, 1981.

[259]

R. C. Crowhurst, D. J. Simpson, R. E. Greenwood, and D. R. Ellis, 'CEM', *Vet Record*, vol. 104, 1979.

[260]

P. F. Daels and J. P. Hughes, 'Fertility control using intrauterine devices: An alternative for population control in wild horses', *Theriogenology*, vol. 44, no. 5, pp. 629-639, Oct. 1995, doi: 10.1016/0093-691X(95)00243-2.

[261]

Daels PF, S. Fatone, B. S. Hansen, and P. W. Concannon, 'Dopamine antagonist-induced reproductive function in anoestrous mares; gonadotrophin secretion and the effects of environmental cues', *Journal of Reproduction and Fertility*, no. 56, pp. 173-183, 2000, doi: info:pmid/20681129. [Online]. Available: <http://europepmc.org/abstract/med/20681129>

[262]

C. G. Depew, 'Horse breeding management', *Journal of Equine Veterinary Science*, vol. 15, no. 5, pp. 228-229, May 1995, doi: 10.1016/S0737-0806(07)80467-9.

[263]

J. E. Dinger, E. E. Noiles, and M. J. L. Bates, 'Effect of progesterone impregnated vaginal sponges and PMSG administration on estrus synchronization in mares', *Theriogenology*, vol. 16, no. 2, pp. 231-237, Aug. 1981, doi: 10.1016/0093-691X(81)90105-9.

[264]

R. A. doig and R. O. Waelchi, 'Endometrial Biopsy', in Equine reproduction, Philadelphia: Lea & Febiger, 1993.

[265]

R. H. Douglas, L. Nuti, and O. J. Ginther, 'Induction of ovulation and multiple ovulation in seasonally-anovulatory mares with equine pituitary fractions', Theriogenology, vol. 2, no. 6, pp. 133-142, Dec. 1974, doi: 10.1016/0093-691X(74)90063-6.

[266]

Evans MJ, 'Induction of follicular development and ovulation in seasonally acyclic mares using gonadotrophin-releasing hormones and progesterone.', Journal of reproduction and fertility. Supplement, no. 27, pp. 113-121, 1979, doi: info:pmid/383982. [Online]. Available: <http://europepmc.org/abstract/med/383982>

[267]

V. J. Farquhar, P. M. McCue, D. K. Vanderwall, and E. L. Squires, 'Efficacy of the gnrh agonist deslorelin acetate for inducing ovulation in mares relative to age of mare and season', Journal of Equine Veterinary Science, vol. 20, no. 11, pp. 722-725, Nov. 2000, doi: 10.1016/S0737-0806(00)80183-5.

[268]

V. J. Farquar, P. M. McCue, T. M. Nett, and E. L. Squires, 'Effect of deslorelin acetate on gonadotrophin secretion and ovarian follicle development in cycling mares', Journal of American Veterinary Medicine Association, 2001. [Online]. Available: <http://avmajournals.avma.org/doi/abs/10.2460/javma.2001.218.749>

[269]

G. Ferreira-Dias, F. Claudino, H. Carvalho, R. Agrícola, J. Alpoim-Moreira, and J. Robalo Silva, 'Seasonal reproduction in the mare: possible role of plasma leptin, body weight and immune status', Domestic Animal Endocrinology, vol. 29, no. 1, pp. 203-213, Jul. 2005, doi: 10.1016/j.domaniend.2005.02.006.

[270]

First, N. L., 'Synchronization of Estrus and Ovulation in the Mare with Methallibure', *Journal of Animal Science*, vol. 36, no. 6, pp. 1143–1148, doi: 10.2134/jas1973.3661143x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/36/6/JAN0360061143>

[271]

Fitzgerald BP, 'Potential signals mediating the maintenance of reproductive activity during the non-breeding season of the mare.', *Reproduction (Cambridge, England) Supplement*, vol. 59, pp. 115–129, 2002 [Online]. Available: <http://europepmc.org/abstract/med/12698977>

[272]

E. L. Gastal, F. X. Donadeu, M. O. Gastal, and O. J. Ginther, 'Echotextural changes in the follicular wall during follicle deviation in mares', *Theriogenology*, vol. 52, no. 5, pp. 803–814, Oct. 1999, doi: 10.1016/S0093-691X(99)00173-9.

[273]

Gentry, L. R., 'High versus low body condition in mares: Interactions with responses to somatotropin, GnRH analog, and dexamethasone', *Journal of Animal Science*, vol. 80, no. 12, pp. 3277–3285, 2002, doi: /2002.80123277x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/80/12/3277>

[274]

Gentry, L. R., 'The relationship between body condition, leptin, and reproductive and hormonal characteristics of mares during the seasonal anovulatory period', *Journal of Animal Science*, vol. 80, no. 10, pp. 2695–2703, 2002, doi: /2002.80102695x. [Online]. Available: <https://www.animalsciencepublications.org/publications/jas/articles/80/10/2695>

[275]

Gentry, L R, 'Responses of seasonally anovulatory mares to daily administration of thyrotropin-releasing hormone and(or) gonadotropin-releasing hormone analog.', *Journal of animal science*, vol. 80, no. 1, pp. 208–213, doi: /2002.801208x. [Online]. Available: <https://www.animalsciencepublications.org/publications/jas/abstracts/80/1/208>

[276]

P. G. Gibbs and K. E. Davison, 'A field study on reproductive efficiency of mares maintained predominately on native pasture', *Journal of Equine Veterinary Science*, vol. 12, no. 4, pp. 219-222, Jul. 1992, doi: 10.1016/S0737-0806(06)81449-8.

[277]

O. J. Ginther and R. A. Pierson, 'Ultrasonic evaluation of the reproductive tract of the mare; principles, equipment, and techniques', *Journal of Equine Veterinary Science*, vol. 3, no. 6, pp. 195-201, Jan. 1983, doi: 10.1016/S0737-0806(83)80014-8.

[278]

O. J. Ginther and R. A. Pierson, 'Ultrasonic evaluation of the reproductive tract of the mare; principles, equipment, and techniques', *Journal of Equine Veterinary Science*, vol. 3, no. 6, pp. 195-201, Jan. 1983, doi: 10.1016/S0737-0806(83)80014-8.

[279]

O. J. Ginther and R. A. Pierson, 'Ultrasonic evaluation of the reproductive tract of the mare; principles, equipment, and techniques', *Journal of Equine Veterinary Science*, vol. 3, no. 6, pp. 195-201, Jan. 1983, doi: 10.1016/S0737-0806(83)80014-8.

[280]

O. J. Ginther, 'Twinning in mares: A review of recent studies', *Journal of Equine Veterinary Science*, vol. 2, no. 4, pp. 127-135, Jul. 1982, doi: 10.1016/S0737-0806(82)80005-1.

[281]

J. Handler, S. Schönlieb, H.-O. Hoppen, and C. Aurich, 'Seasonal effects on attempts to synchronize estrus and ovulation by intravaginal application of progesterone-releasing device (PRIDTM) in mares', *Theriogenology*, vol. 65, no. 6, pp. 1145-1158, Apr. 2006, doi: 10.1016/j.theriogenology.2005.07.013.

[282]

L. A. Harrison, E. L. Squires, and A. O. McKinnon, 'Comparison of HCG, buserelin and luproliol for induction of ovulation in cycling mares', *Journal of Equine Veterinary Science*, vol. 11, no. 3, pp. 163-166, May 1991, doi: 10.1016/S0737-0806(07)80039-6.

[283]

Harrison, L A, 'Use of gonadotropin-releasing hormone for hastening ovulation in transitional mares.', *Journal of animal science*, vol. 68, no. 3, pp. 690-699, doi: /1990.683690x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/68/3/690>

[284]

Y. Hedburg, A. M. Dalin, M. Santesson, and H. Kindahl, 'A preliminary study on the induction of dioestrous ovulation in the mare--a possible method for inducing prolonged luteal phase', *Acta Veterinaria Scandinavica*, vol. 26, 2006 [Online]. Available: <http://www.biomedcentral.com/content/pdf/1751-0147-48-12.pdf>

[285]

B. Heidler et al., 'Effects of lactation on metabolic and reproductive hormones in Lipizzaner mares', *Domestic Animal Endocrinology*, vol. 25, no. 1, pp. 47-59, Jul. 2003, doi: 10.1016/S0739-7240(03)00044-4.

[286]

B. P. Fitzgerald, 'Photoperiodic Versus Metabolic Signals as Determinants of Seasonal Anestrus in the Mare', *Biology of Reproduction*, vol. 63, no. 1, pp. 335-340, Jul. 2000, doi: 10.1095/biolreprod63.1.335.

[287]

D. W. Holtan, R. H. Douglas, and O. J. Ginther, 'Estrus, ovulation and conception following synchronisation with progesterone, prostaglandin F2x and human chorionic gonadotrophin in pony mares.', *Journal of Animal Science*, vol. 44, no. 3, 1977 [Online]. Available: [http://www.researchgate.net/profile/Oliver\\_Ginther/publication/22310029\\_Estrus\\_ovulation\\_and\\_conception\\_following\\_synchronization\\_with\\_progesterone\\_prostaglandin\\_F2alpha\\_and\\_human\\_chorionic\\_gonadotropin\\_in\\_pony\\_mares/links/0a85e536938d9d1e90000000.pdf](http://www.researchgate.net/profile/Oliver_Ginther/publication/22310029_Estrus_ovulation_and_conception_following_synchronization_with_progesterone_prostaglandin_F2alpha_and_human_chorionic_gonadotropin_in_pony_mares/links/0a85e536938d9d1e90000000.pdf)

[288]

Hyland JH, 'Infusion of gonadotrophin-releasing hormone (GnRH) induces ovulation and fertile oestrus in mares during seasonal anoestrus.', *Journal of reproduction and fertility. Supplement*, vol. 35, pp. 211–220, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3316638>

[289]

J. H. Hyland and L. B. Jeffcott, 'Control of transitional anestrus in mares by infusion of gonadotropin releasing hormone', *Theriogenology*, vol. 29, no. 6, pp. 1383–1391, Jun. 1988, doi: 10.1016/0093-691X(88)90019-2.

[290]

I. Imboden, F. Janett, D. Burger, M. A. Crowe, M. Hassig, and R. Thun, 'Influence of immunization against GnRH on reproductive cyclicity and estrous behavior in the mare', *Theriogenology*, vol. 66, no. 8, 2006 [Online]. Available: [http://www.researchgate.net/profile/Mark\\_Crowe3/publication/7002712\\_Influence\\_of\\_immunization\\_against\\_GnRH\\_on\\_reproductive\\_cyclicity\\_and\\_estrous\\_behavior\\_in\\_the\\_mare/links/0912f50aff836acde7000000.pdf](http://www.researchgate.net/profile/Mark_Crowe3/publication/7002712_Influence_of_immunization_against_GnRH_on_reproductive_cyclicity_and_estrous_behavior_in_the_mare/links/0912f50aff836acde7000000.pdf)

[291]

L. M. Ionata, T. M. Anderson, B. W. Pickett, J. C. Heird, and E. L. Squires, 'Effect of supplementary sexual preparation on semen characteristics of stallions', *Theriogenology*, vol. 36, no. 6, pp. 923–937, Dec. 1991, doi: 10.1016/0093-691X(91)90318-8.

[292]

C. H. G. Irvine, 'GnRH', *Journal of Equine Veterinary Science*, vol. 6, 1986.

[293]

M. Ishii et al., 'Reproductive performance and factors that decrease pregnancy rate in heavy draft horses bred at the foal heat', *Journal of Equine Veterinary Science*, vol. 21, no. 3, pp. 131–136, Mar. 2001, doi: 10.1016/S0737-0806(01)70109-8.

[294]

W. Jöchle and T. E. Trigg, 'Control of Ovulation in the Mare With Ovuplant™. A Short-Term Release Implant (STI) Containing The GnRH Analogue Deslorelin Acetate: Studies from 1990 to 1994. (A Review)', *Journal of Equine Veterinary Science*, vol. 14, no. 12, pp. 632–644, Dec. 1994, doi: 10.1016/S0737-0806(06)81681-3.

[295]

Jöchle W, 'Release of LH, FSH and GnRH into pituitary venous blood in mares treated with a PGF analogue, luprostirol, during the transition period.', *Journal of reproduction and fertility. Supplement*, vol. 35, pp. 261–267, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3119828>

[296]

R. M. Kenney, 'Endometrial biopsy technique and classification according to interpretation', *Proc Soc Theriogenology*, 1978.

[297]

D. J. Kesler and T. F. Lock, 'Effect of Altrenogest Treatment to Early Postpartum Mares on Reproductive Performance of the Mare and Health, Growth and Development of the Foal', *Journal of Applied Animal Research*, vol. 14, no. 1, pp. 51–56, Sep. 1998, doi: 10.1080/09712119.1998.9706215.

[298]

S. S. King, K. L. Jones, B. A. Mullenix, and D. T. Heath, 'Seasonal relationships between dopamine D1 and D2 receptor and equine FSH receptor mRNA in equine ovarian epithelium', *Animal Reproduction Science*, vol. 108, no. 1–2, pp. 259–266, Oct. 2008, doi: 10.1016/j.anireprosci.2007.08.007.

[299]

Kooistra LH, 'Effect of photoperiod on reproductive activity and hair in mares.', *American journal of veterinary research*, vol. 36, no. 10, pp. 1413–1419, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1238038>

[300]



J. R. Kubiak, B. H. Crawford, E. L. Squires, R. H. Wrigley, and G. M. Ward, 'The influence of energy intake and percentage of body fat on the reproductive performance of nonpregnant mares', *Theriogenology*, vol. 28, no. 5, pp. 587–598, Nov. 1987, doi: 10.1016/0093-691X(87)90275-5.

[301]

D. J. Lapin and O. J. Ginther, 'Induction of ovulation and multiple ovulations in seasonally-anovulatory mares with equine pituitary extract', *Journal of Animal Science*, vol. 44, 1977 [Online]. Available: [http://www.researchgate.net/profile/Oliver\\_Ginther/publication/22583275\\_Induction\\_of\\_ovulation\\_and\\_multiple\\_ovulations\\_in\\_seasonally\\_anovulatory\\_and\\_ovulatory\\_mares\\_with\\_an\\_equine\\_pituitary\\_extract/links/0a85e536938d0f3776000000.pdf](http://www.researchgate.net/profile/Oliver_Ginther/publication/22583275_Induction_of_ovulation_and_multiple_ovulations_in_seasonally_anovulatory_and_ovulatory_mares_with_an_equine_pituitary_extract/links/0a85e536938d0f3776000000.pdf)

[302]

M. M. Le Blanc, 'Endoscopy', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[303]

I. Levy and G. Duchamp, 'A Single Subcutaneous Administration of Buserelin Induces Ovulation in the Mare: Field Data', *Reproduction in Domestic Animals*, vol. 42, no. 5, pp. 550–554, Oct. 2007, doi: 10.1111/j.1439-0531.2006.00822.x.

[304]

Loy RG, 'Sources of variation in response intervals after prostaglandin treatment in mares with functional corpora lutea.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 229–235, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289794>

[305]

Loy, R. G., 'Effects of Exogenous Progestogens on Reproductive Phenomena in Mares', *Journal of Animal Science*, vol. 25, no. 3, pp. 821–826, doi: 10.2134/jas1966.253821x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/25/3/JAN0250030821>

[306]

M. Lübbecke, E. Klug, H. O. Hoppen, and W. Jöchle, 'Attempts to Synchronize Estrus and Ovulation in Mares Using Progesterone (CIDR-B) and GnRH-Analog Deslorelin', *Reproduction in Domestic Animals*, vol. 29, no. 3, pp. 305–314, Jun. 1994, doi: 10.1111/j.1439-0531.1994.tb00563.x.

[307]

Mather EC, 'The use of fibre-optic techniques in clinical diagnosis and visual assessment of experimental intrauterine therapy in mares.', *Journal of reproduction and fertility*. Supplement, no. 27, pp. 293–297, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289803>

[308]

C. A. McCall, 'Utilizing taped stallion vocalizations as a practical aid in estrus detection in mares', *Applied Animal Behaviour Science*, vol. 28, no. 4, pp. 305–310, Jan. 1991, doi: 10.1016/0168-1591(91)90162-Q.

[309]

P. M. McCue, V. J. Farquhar, E. M. Carnevale, and E. L. Squires, 'Removal of deslorelin (Ovuplant™) implant 48 h after administration results in normal interovulatory intervals in mares', *Theriogenology*, vol. 58, no. 5, pp. 865–870, Sep. 2002, doi: 10.1016/S0093-691X(02)00923-8.

[310]

P. M. McCue, M. M. LeBlanc, and E. L. Squires, 'eFSH in clinical equine practice', *Theriogenology*, vol. 68, no. 3, pp. 429–433, Aug. 2007, doi: 10.1016/j.theriogenology.2007.04.027.

[311]

S. M. McDonnell, 'Reproductive behavior of stallions and mares: comparison of free-running and domestic in-hand breeding', *Animal Reproduction Science*, vol. 60–61, pp. 211–219, Jul. 2000, doi: 10.1016/S0378-4320(00)00136-6.

[312]

S. M. McDonnell, M. C. Garcia, T. L. Blanchard, and R. M. Kenney, 'Evaluation of androgenized mares as an estrus detection aid', *Theriogenology*, vol. 26, no. 2, 1986 [Online]. Available: <http://research.vet.upenn.edu/Portals/49/86EvaluaU.pdf>

[313]

A. O. McKinnon, 'Uterine Pathology', in *Equine diagnostic ultrasonography*, 1st ed., Baltimore: Williams & Wilkins, 1998.

[314]

A. O. McKinnon and E. M. Carnevale, 'Ultrasonography', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[315]

C. A. Johnson, D. L. Thompson, K. M. Kulinski, and A. M. Guitreau, 'Prolonged interovulatory interval and hormonal changes in mares following the use of Ovuplant™ to hasten ovulation', *Journal of Equine Veterinary Science*, vol. 20, no. 5, pp. 331–336, May 2000, doi: 10.1016/S0737-0806(00)70421-7.

[316]

Merkt, H., 'Reproduction management in the German Thoroughbred breeding industry.', *Journal of Equine Veterinary Science*, vol. 20, no. 12, pp. 822–825, 868, 2000, doi: 10.1016/S0737-0806(00)80087-820013021876. [Online]. Available: <http://www.cabdirect.org/abstracts/20013021876.html>

[317]

J. P. Morehead, J. L. Colon, and T. L. Blanchard, 'Clinical experience with native GnRH therapy to hasten follicular development and first ovulation of the breeding season', *Journal of Equine Veterinary Science*, vol. 21, 2001 [Online]. Available: [http://www.equinereprovetservices.com/JorgeColonDVM/Staff\\_files/GnRH%202001.pdf](http://www.equinereprovetservices.com/JorgeColonDVM/Staff_files/GnRH%202001.pdf)

[318]

Mumford, E L, 'Effect of various doses of a gonadotropin-releasing hormone analogue on induction of ovulation in anestrus mares.', *Journal of animal science*, vol. 72, no. 1, pp.

178–183, doi: /1994.721178x. [Online]. Available:  
<https://dl.sciencesocieties.org/publications/jas/abstracts/72/1/178>

[319]

B. A. Murphy et al., 'Blue light from individual light masks directed at a single eye advances the breeding season in mares', *Equine Veterinary Journal*, 2013, doi: 10.1111/evj.12153. [Online]. Available:  
[http://www.researchgate.net/profile/Barbara\\_Murphy2/publication/255174103\\_Blue\\_light\\_from\\_individual\\_light\\_masks\\_directed\\_at\\_a\\_single\\_eye\\_advances\\_the\\_breeding\\_season\\_in\\_mares/links/02e7e52cd4a237eb21000000.pdf](http://www.researchgate.net/profile/Barbara_Murphy2/publication/255174103_Blue_light_from_individual_light_masks_directed_at_a_single_eye_advances_the_breeding_season_in_mares/links/02e7e52cd4a237eb21000000.pdf)

[320]

Newcombe J. R., 'Embryonic loss and abnormalities of early pregnancy', *Equine Veterinary Education*, vol. 12, no. 2, pp. 88–101, 2010, doi: 10.1111/j.2042-3292.2000.tb01771.x. [Online]. Available:  
<http://onlinelibrary.wiley.com/doi/10.1111/j.2042-3292.2000.tb01771.x/pdf>

[321]

J. R. Newcombe, 'Field observations on the use of a progesterone-releasing intravaginal device to induce estrus and ovulation in seasonally anestrous mares', *Journal of Equine Veterinary Science*, vol. 22, no. 9, pp. 378–382, Sep. 2002, doi: 10.1016/S0737-0806(02)70016-6.

[322]

Newcombe, J.R., 'The use of progesterone releasing intravaginal devices to induce estrus and ovulation in anestrous Standardbred mares in Australia', *Equine practice (USA)* [Online]. Available: <http://agris.fao.org/agris-search/search.do?recordID=US9741027>

[323]

G. J. Nie, K. E. Johnson, T. D. Braden, and J. G. W. Wenzel, 'Use of an intra-uterine glass ball protocol to extend luteal function in mares', *Journal of Equine Veterinary Science*, vol. 23, no. 6, pp. 266–273, Jun. 2003, doi: 10.1053/jevs.2003.75.

[324]

G. J. Nie, A. N. Goodin, T. D. Braden, and J. G. W. Wenzel, 'Luteal and clinical response following administration of dinoprost tromethamine or cloprostenol at standard intramuscular sites or at the lumbosacral acupuncture points in mares', *American Journal of Veterinary Research*, vol. 62, no. 8, 2001 [Online]. Available: <http://avmajournals.avma.org/doi/abs/10.2460/ajvr.2001.62.1285>

[325]

G. J. Nie, K. E. Johnson, and J. G. W. Wenzel, 'Use of glass ball to suppress behavioural estrus in mares', *Proceedings of American Association of Equine Practitioners*, vol. 47, 2001.

[326]

Y. Nishikawa, *Studies on reproduction in horses: singularity and artificial control in reproductive phenomena*. Tokyo: Japan Racing Association, 1959.

[327]

S. T. Norman, J. E. Larsen, and J. M. Morton, 'Oestrous response and follicular development in mares after treatment with an intravaginal progesterone releasing device in association with single injections of oestradiol benzoate and PGF<sub>2</sub>alpha', *Australian Veterinary Journal*, vol. 84, 2006 [Online]. Available: [http://espace.library.uq.edu.au/view/UQ:174/Norman\\_oestrus\\_response.pdf](http://espace.library.uq.edu.au/view/UQ:174/Norman_oestrus_response.pdf)

[328]

P. Noue et al., 'Sexual behavior of stallions during in-hand natural service and semen collection: an observation in French studs', *Animal Reproduction Science*, vol. 68, no. 3-4, pp. 161-169, Dec. 2001, doi: 10.1016/S0378-4320(01)00153-1.

[329]

Oxender WD, 'Estrus, ovulation, and serum progesterone, estradiol, and LH concentrations in mares after an increased photoperiod during winter.', *American journal of veterinary research*, vol. 38, no. 2, pp. 203-207, 1977 [Online]. Available: <http://europepmc.org/abstract/med/557304>

[330]

Palmer, E., 'Uses of LHRH and analogues in the mare', Proc 11th Int Cong Anim Reprod and AI [Online]. Available: <http://agris.fao.org/agris-search/search.do?recordID=IE8900192>

[331]

E. Palmer and M. A. Driancourt, 'Some interactions of season of foaling, photoperiod and ovarian activity in the equine', Livestock Production Science, vol. 10, no. 2, pp. 197-210, Apr. 1983, doi: 10.1016/0301-6226(83)90035-0.

[332]

E. Palmer, M. A. Draincourt, and R. Ortavent, 'Photoperiodic stimulation of the mare during winter anoestrus. - PubMed - NCBI', Journal of Reproduction and Fertility, Supplement, vol. 32, 1982 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/6820061>

[333]

Palmer E, 'Reproductive management of mares without detection of oestrus.', Journal of reproduction and fertility. Supplement, no. 27, pp. 263-270, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289799>

[334]

Palmer E, 'Synchronization of oestrus in mares with a prostaglandin analogue and HCG.', Journal of reproduction and fertility. Supplement, no. 23, pp. 269-274, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060790>

[335]

D. Panzani et al., 'Clinical use of dopamine antagonist sulpiride to advance first ovulation in transitional mares', Theriogenology, vol. 75, no. 1, pp. 138-143, Jan. 2011, doi: 10.1016/j.theriogenology.2010.07.019.

[336]

Pascoe RR, 'Observations on the length and angle of declination of the vulva and its relation to fertility in the mare.', Journal of reproduction and fertility. Supplement, no. 27, pp. 299-305, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289804>

[337]

K. R. Peres, C. B. Fernandes, M. A. Alvarenga, and F. C. Landim-Alvarenga, 'Effect of eFSH on Ovarian Cyclicity and Embryo Production of Mares in Spring Transitional Phase', *Journal of Equine Veterinary Science*, vol. 27, no. 4, pp. 176–180, Apr. 2007, doi: 10.1016/j.jevs.2007.02.009.

[338]

N. Perkins and J. Grimmett, 'Pregnancy and twinning rates in Thoroughbred mares following the administration of human chorionic gonadotropin (hCG)', *New Zealand Veterinary Journal*, vol. 49, no. 3, pp. 94–100, Jun. 2001, doi: 10.1080/00480169.2001.36210.

[339]

C. R. F. Pinto, 'Proestagens and Progesterone', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[340]

J. Pycock, 'Pre-breeding checks for mares', *In Practice*, vol. 26, no. 2, pp. 78–85, Feb. 2004, doi: 10.1136/inpract.26.2.78.

[341]

J. F. Pycock and J. R. Newcombe, 'Assessment of the effect of three treatments to remove intrauterine fluid on pregnancy rate in the mare', *Vet Rec*, vol. 138, 1996 [Online]. Available: [http://www.researchgate.net/profile/John\\_Newcombe/publication/14471175\\_Assessment\\_of\\_the\\_effect\\_of\\_three\\_treatments\\_to\\_remove\\_intrauterine\\_fluid\\_on\\_pregnancy\\_rate\\_in\\_the\\_mare/links/0912f510bd097662fb000000.pdf](http://www.researchgate.net/profile/John_Newcombe/publication/14471175_Assessment_of_the_effect_of_three_treatments_to_remove_intrauterine_fluid_on_pregnancy_rate_in_the_mare/links/0912f510bd097662fb000000.pdf)

[342]

T. Raz, S. Carley, and C. Card, 'Comparison of the effects of eFSH and deslorelin treatment regimes on ovarian stimulation and embryo production of donor mares in early vernal transition', *Theriogenology*, vol. 71, no. 9, pp. 1358–1366, Jun. 2009, doi: 10.1016/j.theriogenology.2008.09.048.

[343]

Ricketts SW, 'Role of anaerobic bacteria in equine endometritis.', *Journal of reproduction and fertility. Supplement*, vol. 35, pp. 343-351, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479588>

[344]

S. W. Ricketts, A. young, and E. B. Medici, 'Uterine and Clitored Culture', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[345]

S. Ricketts, 'Bacteriological examinations of the mare's cervix: techniques and interpretation of results', *Veterinary Record*, vol. 108, no. 3, pp. 46-51, Jan. 1981, doi: 10.1136/vr.108.3.46.

[346]

S. W. Ricketts, 'The barren mare. Diagnosis, prognosis, prophylaxis and treatment for genital abnormality. Part 1 and Part 2', *In Practice*, vol. 11.

[347]

M. M. Rivera del Alamo, T. Reilas, H. Kindahl, and T. Katila, 'Mechanisms behind intrauterine device-induced luteal persistence in mares', *Animal Reproduction Science*, vol. 107, no. 1-2, pp. 94-106, Aug. 2008, doi: 10.1016/j.anireprosci.2007.06.010.

[348]

Rutten DR, 'Progesterone therapy in mares with abnormal oestrous cycles.', *The Veterinary record*, vol. 119, no. 23, pp. 569-571, 1986 [Online]. Available: <http://europepmc.org/abstract/med/3811169>

[349]

J. C. Samper, 'Induction of estrus and ovulation: Why some mares respond and others do



not', *Theriogenology*, vol. 70, no. 3, pp. 445–447, Aug. 2008, doi: 10.1016/j.theriogenology.2008.04.040.

[350]

J. C. Samper, S. Jensen, J. Sergeant, and A. Estrada, 'Timing of induction of ovulation in mares treated with Ovuplant or Chorulon', *Journal of Equine Veterinary Science*, vol. 22, no. 7, pp. 320–323, Jul. 2002, doi: 10.1016/S0737-0806(02)70080-4.

[351]

R. J. Scaramuzzi and G. B. Martin, 'The Importance of Interactions Among Nutrition, Seasonality and Socio-sexual Factors in the Development of Hormone-free Methods for Controlling Fertility', *Reproduction in Domestic Animals*, vol. 43, 2008 [Online]. Available: [http://www.researchgate.net/profile/Graeme\\_Martin/publication/51412342\\_The\\_importance\\_of\\_interactions\\_among\\_nutrition\\_seasonality\\_and\\_socio-sexual\\_factors\\_in\\_the\\_development\\_of\\_hormone-free\\_methods\\_for\\_controlling\\_fertility/links/0912f50b37ae056005000000.pdf](http://www.researchgate.net/profile/Graeme_Martin/publication/51412342_The_importance_of_interactions_among_nutrition_seasonality_and_socio-sexual_factors_in_the_development_of_hormone-free_methods_for_controlling_fertility/links/0912f50b37ae056005000000.pdf)

[352]

N. S. Scheffrahn, B. S. Wiseman, D. L. Vincent, P. C. Harrison, and D. J. Kesler, 'Ovulation control in pony mares during early spring using progestins, PGF<sub>2x</sub>, hcG and GnRH', *Journal of Animal Science*, vol. 51, 1980.

[353]

S.T. Scraba, O.J. Ginther, 'Effects of lighting programs on onset of the ovulatory season in mares', *Theriogenology*, vol. 24, no. 6, pp. 667–679, doi: 10.1016/0093-691X(85)90165-7. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/0093691X85901657>

[354]

S. Sharma, M. C. G. Davies Morel, and G. S. Dhaliwal, 'Factors affecting the incidence of postpartum oestrus, ovarian activity and reproductive performance in Thoroughbred mares bred at foal heat under Indian subtropical conditions', *Theriogenology*, vol. 74, 2010 [Online]. Available: [http://www.researchgate.net/profile/Mina\\_Morel/publication/41808044\\_Factors\\_affecting\\_the\\_incidence\\_of\\_postpartum\\_oestrus\\_ovarian\\_activity\\_and\\_reproductive\\_performance\\_in\\_Thoroughbred\\_mares\\_bred\\_at\\_foal\\_heat\\_under\\_Indian\\_subtropical\\_conditions/links/02e7e52b](http://www.researchgate.net/profile/Mina_Morel/publication/41808044_Factors_affecting_the_incidence_of_postpartum_oestrus_ovarian_activity_and_reproductive_performance_in_Thoroughbred_mares_bred_at_foal_heat_under_Indian_subtropical_conditions/links/02e7e52b)

892c1a5a2a000000.pdf

[355]

D. C. Sharp, 'Photoperiod', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[356]

Sharp DC, 'Effects of artificial light on the oestrous cycle of the mare.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 241–246, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060785>

[357]

R. K. Shideler, 'Rectal Palpation', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[358]

C. F. Shoemaker, E. L. Squires, and R. K. Shideler, 'Safety of altrenogest in pregnant mares and on health and development of offspring', *Journal of Equine Veterinary Science*, vol. 9, no. 2, pp. 69–72, Jan. 1989, doi: 10.1016/S0737-0806(89)80030-9.

[359]

E. L. Squires, 'Progestin', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[360]

Squires, E. L., 'Relationship of Altrenogest to Ovarian Activity, Hormone Concentrations and Fertility of Mares', *Journal of Animal Science*, vol. 56, no. 4, pp. 901–910, doi: 10.2134/jas1983.564901x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/56/4/JAN0560040901>

[361]

Squires, E. L., 'Effect of an Oral Progestin on the Estrous Cycle and Fertility of Mares',

Journal of Animal Science, vol. 49, no. 3, pp. 729–735, doi: 10.2134/jas1979.493729x.  
[Online]. Available:  
<https://dl.sciencesocieties.org/publications/jas/abstracts/49/3/JAN0490030729>

[362]

E. L. Squires, R. K. Shideler, and A. O. McKinnon, 'Reproductive performance of offspring from mares administered altrenogest during gestation', *Journal of Equine Veterinary Science*, vol. 9, no. 2, pp. 73–76, Jan. 1989, doi: 10.1016/S0737-0806(89)80031-0.

[363]

S. A. Staempfli, 'Prostaglandins', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[364]

M. E. Stanton, 'Uterine involution', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[365]

T. A. E. Stout, 'Modulating reproductive activity in stallions: A review', *Animal Reproduction Science*, vol. 89, no. 1–4, pp. 93–103, Oct. 2005, doi: 10.1016/j.anireprosci.2005.06.015.

[366]

T. A. E. Stout and B. Colenbrander, 'Suppressing reproductive activity in horses using GnRH vaccines, antagonists or agonists', *Animal Reproduction Science*, vol. 82–83, pp. 633–643, Jul. 2004, doi: 10.1016/j.anireprosci.2004.04.009.

[367]

A. M. Swinker, E. L. Squires, E. L. Mumford, J. E. Knowles, and D. M. Kniffen, 'Effect of body weight and body condition score on follicular development and ovulation in mares treated with GnRH analogue', *Journal of Equine Veterinary Science*, vol. 13, no. 9, pp. 519–520, Sep. 1993, doi: 10.1016/S0737-0806(07)80268-1.

[368]

M. H. T. Troedsson, 'Uterine clearance and resistance to persistent endometritis in the mare', *Theriogenology*, vol. 52, no. 3, pp. 461-471, Aug. 1999, doi: 10.1016/S0093-691X(99)00143-0.

[369]

J. A. Turkstra et al., 'Effects of GnRH immunization in sexually mature pony stallions', *Animal Reproduction Science*, vol. 86, no. 3-4, pp. 247-259, Apr. 2005, doi: 10.1016/j.anireprosci.2004.07.010.

[370]

D. K. Vanderwall, T. D. Juergens, and G. L. Woods, 'Reproductive performance of commercial broodmares after induction of ovulation with HCG or Ovuplant™ (deslorelin)', *Journal of Equine Veterinary Science*, vol. 21, no. 11, pp. 539-542, Nov. 2001, doi: 10.1016/S0737-0806(01)70158-X.

[371]

van Niekerk CH, 'Progesterone treatment of mares with abnormal oestrous cycles early in the breeding season.', *Journal of the South African Veterinary Medical Association*, vol. 44, no. 1, pp. 37-45, 1973 [Online]. Available: <http://europepmc.org/abstract/med/4796188>

[372]

Niekerk, C.H. van., 'Nutrition and ovarian activity of mares early in the breeding season', *J Afr Vet Assoc* [Online]. Available: <http://agris.fao.org/agris-search/search.do?recordID=US201303243065>

[373]

F. E. Van Niekerk and C. H. Van Niekerk, 'The effect of dietary protein on reproduction in the mare III ovarian and uterine changes during anovulatory, transitional and ovulatory periods in non-pregnant mare', *Journal of the South African Veterinary Association*, vol. 68, 1997 [Online]. Available: [http://reference.sabinet.co.za/sa\\_epublication\\_article/savet\\_v68\\_n3\\_a5](http://reference.sabinet.co.za/sa_epublication_article/savet_v68_n3_a5)

[374]

M. C. Veronesi, M. Battocchio, M. Faustini, M. Gandini, and F. Cairoli, 'Relationship between pharmacological induction of estrous and/or ovulation and twin pregnancy in the Thoroughbred mares', *Domestic Animal Endocrinology*, vol. 25, no. 1, pp. 133-140, Jul. 2003, doi: 10.1016/S0739-7240(03)00052-3.

[375]

J. L. Voss and B. W. Pickett, 'The effect of nutritional supplement on conception rate in mares', *Prac Am Assoc Equine Pract*, 1973.

[376]

C. M. Walsh, R. L. Prendergast, J. T. Sheridan, and B. A. Murphy, 'Blue light from light-emitting diodes directed at a single eye elicits a dose-dependent suppression of melatonin in horses', *The Veterinary Journal*, vol. 196, no. 2, pp. 231-235, May 2013, doi: 10.1016/j.tvjl.2012.09.003.

[377]

E. D. Watson, 'Post-breeding endometritis in the mare', *Animal Reproduction Science*, vol. 60-61, pp. 221-232, Jul. 2000, doi: 10.1016/S0378-4320(00)00110-X.

[378]

C. Willmann, G. Schuler, B. Hoffmann, N. Parvizi, and C. Aurich, 'Effects of age and altrenogest treatment on conceptus development and secretion of LH, progesterone and eCG in early-pregnant mares', *Theriogenology*, vol. 75, no. 3, pp. 421-428, Feb. 2011, doi: 10.1016/j.theriogenology.2010.05.009.

[379]

C. G. Wilson, C. R. Downie, J. P. Hughes, and J. F. Roser, 'Effects of repeated hCG injections on reproductive efficiency in mares', *Journal of Equine Veterinary Science*, vol. 10, no. 4, pp. 301-308, Aug. 1990, doi: 10.1016/S0737-0806(06)80015-8.

[380]

G. L. Woods, 'Pregnancy loss. A major cause of infertility in the mare', *Equine Prac*, vol. 11, 1989.

[381]

M.J. Yoona, I. Boimeb, M. Colginc, K.D. Niswenderd, S.S. Kinge, M. Alvarengaf, A. Jablonka-Shariffb, C.A. Pearl, J.F. Rosera, , 'The efficacy of a single chain recombinant equine luteinizing hormone (reLH) in mares: Induction of ovulation, hormone profiles, and inter-ovulatory intervals', *Domestic Animal Endocrinology*, vol. 33, no. 4, pp. 470–479, doi: 10.1016/j.domaniend.2007.06.001. [Online]. Available: <http://www.sciencedirect.com/science/article/pii/S0739724007000823>

[382]

W. Allen, 'Fetomaternal interactions and influences during equine pregnancy', *Reproduction*, vol. 121, no. 4, pp. 513–527, Apr. 2001, doi: 10.1530/rep.0.1210513.

[383]

W. R. Allen, 'Journal of Reproduction and Fertility', Immunological aspects of the equine endometrial cup reaction and the effect of xenogenic extra species pregnancy in horses and donkeys, vol. 31, 1982.

[384]

Allen WE, 'Ovarian changes during early pregnancy in pony mares in relation to PMSG production.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 425–428, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060819>

[385]

W. R. Allen and F. Stewart, 'ECG', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[386]

Allen WR, 'Extraspecific donkey-in-horse pregnancy as a model of early fetal death.',

Journal of reproduction and fertility. Supplement, vol. 35, pp. 197–209, 1987 [Online].  
Available: <http://europepmc.org/abstract/med/3479576>

[387]

W. Allen, 'The influence of maternal size on placental, fetal and postnatal growth in the horse. II. Endocrinology of pregnancy', *Journal of Endocrinology*, vol. 172, no. 2, pp. 237–246, Feb. 2002, doi: 10.1677/joe.0.1720237.

[388]

E. R. Barnea, 'Insight into Early Pregnancy Events: The Emerging Role of the Embryo\*', *American Journal of Reproductive Immunology*, vol. 51, no. 5, pp. 319–322, May 2004, doi: 10.1111/j.1600-0897.2004.00159.x.

[389]

F. W. Bazer and W. W. Thatcher, 'Theory of maternal recognition of pregnancy in swine based on estrogen controlled endocrine versus exocrine secretion of prostaglandin F<sub>2α</sub> by the uterine endometrium', *Prostaglandins*, vol. 14, no. 2, pp. 397–401, Aug. 1977, doi: 10.1016/0090-6980(77)90185-X.

[390]

F. W. Bazer, T. L. Ott, and T. E. Spencer, 'Pregnancy recognition in ruminants, pigs and horses: Signals from the trophoblast', *Theriogenology*, vol. 41, no. 1, pp. 79–94, Jan. 1994, doi: 10.1016/S0093-691X(05)80052-4.

[391]

D. R. Bergfelt and O. J. Ginther, 'Relationships between circulating concentrations of fish and follicular waves during early pregnancy in mares', *Journal of Equine Veterinary Science*, vol. 12, no. 5, pp. 274–279, Sep. 1992, doi: 10.1016/S0737-0806(06)81332-8.

[392]

L. A. Berglund, D. C. Sharp, M. W. Vernon, and W. W. Thatcher, 'Effect of pregnancy status and collection technique on prostaglandin F in the uterine lumen of pony mares', *Journal of Reproduction and Fertility*, vol. 32, 1982.

[393]

B R Bhavnani, 'Formation of Steroids by the Pregnant Mare. III. Metabolism of 14C-Squalene and 3H-Dehydroisoandrosterone Injected into the Fetal Circulation1 1', *Endocrinology*, Jul. 2013 [Online]. Available: <http://press.endocrine.org/doi/abs/10.1210/endo-92-3-657>

[394]

BHAGU R. BHAVNANI, 'Formation of Steroids by the Pregnant Mare. IV. Metabolism 14of C-Mevalonic Acid and 3H-Dehydroisoandrosterone Injected into the Fetal Circulation14', *Endocrinology*, Jul. 2013 [Online]. Available: <http://press.endocrine.org/doi/abs/10.1210/endo-92-5-1397>

[395]

P. CHAVATTE, D. HOLTAN, J. C. OUSEY, and P. D. ROSSDALE, 'Biosynthesis and possible biological roles of progestagens during equine pregnancy and in the newborn foal', *Equine Veterinary Journal*, vol. 29, no. S24, pp. 89-95, Jun. 2010, doi: 10.1111/j.2042-3306.1997.tb05084.x.

[396]

S. J. Choi, G. B. Anderson, and J. F. Roser, 'Production of estrogen conjugates and free estrogens by the pre-implantation equine embryo', *Biology of Reproduction*, vol. 52, 1995.

[397]

Cox JE, 'Oestrone and equilin in the plasma of the pregnant mare.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 463-468, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060825>

[398]

P. Daels, B. Albrecht, and H. Mohammed, 'In vitro regulation of luteal function in mares', *Reproduction in Domestic Animals*, vol. 30, no. 4, pp. 211-217, Aug. 1995, doi: 10.1111/j.1439-0531.1995.tb00148.x.



[399]

P. F. Daels, M. Jorge De Moraes, G. H. Stabenfeldt, J. P. Hughes, and B. Lesley, 'The corpus luteum a major source of oestrogen in early pregnancy in the mare', *Journal of Reproduction and Fertility*, vol. 44, 1991.

[400]

P. F. Daels, S. Shideler, B. L. Lasley, J. P. Hughes, and G. H. Stabenfeldt, 'Source of oestrogen in early pregnancy in the mare', *Reproduction*, vol. 90, no. 1, pp. 55-61, Sep. 1990, doi: 10.1530/jrf.0.0900055.

[401]

'Equine Veterinary Journal', vol. Volume 29, no. Issue S24 [Online]. Available: <http://onlinelibrary.wiley.com/doi/10.1111/evj.1997.29.issue-S24/issuetoc>

[402]

Evans MJ, 'Serum concentrations of FSH, LH and progesterone during the oestrous cycle and early pregnancy in the mare.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 193-200, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060778>

[403]

Flood PF, 'Oestrogens and androgens in blastocoelic fluid and cultures of cells from equine conceptuses of 10-22 days gestation.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 413-420, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289818>

[404]

D. A. Freeman, J. A. Weber, R. T. Geary, and G. L. Woods, 'Time of embryo transport through the mare oviduct', *Theriogenology*, vol. 36, no. 5, pp. 823-830, Nov. 1991, doi: 10.1016/0093-691X(91)90348-H.

[405]

O. J. GINTHER, 'Dynamic physical interactions between the equine embryo and uterus', *Equine Veterinary Journal*, vol. 17, no. S3, pp. 41-47, Jun. 2010, doi: 10.1111/j.2042-3306.1985.tb04592.x.

[406]

O. J. GINTHER, 'Twin embryos in mares II: post fixation embryo reduction', *Equine Veterinary Journal*, vol. 21, no. 3, pp. 171-174, May 1989, doi: 10.1111/j.2042-3306.1989.tb02134.x.

[407]

O. J. Ginther and P. G. Griffin, 'Natural outcome and ultrasonic identification of equine fetal twins', *Theriogenology*, vol. 41, no. 5, pp. 1193-1199, Jan. 1994, doi: 10.1016/S0093-691X(05)80041-X.

[408]

Goff AK, 'Oxytocin stimulation of plasma 15-keto-13,14-dihydro prostaglandin F-2 alpha during the oestrous cycle and early pregnancy in the mare.', *Journal of reproduction and fertility. Supplement*, vol. 35, pp. 253-260, 1987 [Online]. Available: <http://europepmc.org/abstract/med/3479581>

[409]

Hamon M, 'Production of 5 alpha-dihydroprogesterone during late pregnancy in the mare.', *Journal of reproduction and fertility. Supplement*, vol. 44, pp. 529-535, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795296>

[410]

Hansen TR, 'Mechanism of action of interferon-tau in the uterus during early pregnancy.', *Journal of reproduction and fertility. Supplement*, vol. 54, pp. 329-339, 1999 [Online]. Available: <http://europepmc.org/abstract/med/10692865>

[411]

R. HARDING, 'Fetal pulmonary development: the role of respiratory movements', *Equine Veterinary Journal*, vol. 29, no. S24, pp. 32–39, Jun. 2010, doi: 10.1111/j.2042-3306.1997.tb05076.x.

[412]

R. B. Heap, M. Hamon, and W. R. Allen, 'Studies on oestrogen synthesis by pre-implantation equine conceptus', *Journal of Reproduction and Fertility*, vol. 32, 1982.

[413]

Hershman L, 'The critical period for the maternal recognition of pregnancy in pony mares.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 395–401, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289816>

[414]

S. HOCHI, J. BRAUN, and N. OGURI, 'The hatching process of equine embryos in vitro', *Equine Veterinary Journal*, vol. 25, no. S15, pp. 91–94, Jun. 2010, doi: 10.1111/j.2042-3306.1993.tb04836.x.

[415]

Holtan DW, 'Effect of ovariectomy on pregnancy in mares.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 457–463, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289823>

[416]

D. W. Holtan, T. M. Nett, and V. L. Estergreen, 'Plasma progestagens in pregnant mares', *Journal of Reproduction and Fertility*, vol. 23, 1975 [Online]. Available: <http://www.ncbi.nlm.nih.gov/pubmed/1060818>

[417]

Houghton E, 'Plasma progestagen concentrations in the normal and dysmature newborn foal.', *Journal of reproduction and fertility. Supplement*, vol. 44, pp. 609–617, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795303>

[418]

Kindahl H, 'Progesterone, prostaglandin F-2 alpha, PMSG and oestrone sulphate during early pregnancy in the mare.', *Journal of reproduction and fertility. Supplement*, vol. 32, pp. 353-359, 1982 [Online]. Available: <http://europepmc.org/abstract/med/6300390>

[419]

C. Klein, K. E. Scoggin, A. D. Ealy, and M. H. T. Troedsson, 'Transcriptional Profiling of Equine Endometrium During the Time of Maternal Recognition of Pregnancy', *Biology of Reproduction*, vol. 83, no. 1, pp. 102-113, Jul. 2010, doi: 10.1095/biolreprod.109.081612.

[420]

A. P. Koets, 'The equine endometrial cup reaction: A review', *Veterinary Quarterly*, vol. 17, no. 1, pp. 21-29, Mar. 1995, doi: 10.1080/01652176.1995.9694525.

[421]

G. E. Lamming and G. E. Mann, 'Control of endometrial oxytocin receptors and prostaglandin F2 production in cows by progesterone and oestradiol', *Reproduction*, vol. 103, no. 1, pp. 69-73, Jan. 1995, doi: 10.1530/jrf.0.1030069.

[422]

M. M. LeBLANC, 'Identification and treatment of the compromised equine fetus: A clinical perspective', *Equine Veterinary Journal*, vol. 29, no. S24, pp. 100-103, Jun. 2010, doi: 10.1111/j.2042-3306.1997.tb05086.x.

[423]

Merchant-Larios H, 'Ultrastructural events in horse gonadal morphogenesis.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 479-485, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289827>

[424]

R. M. Moor, 'Effect of embryo on corpus luteum function. | POPLINE.org', *Journal of Animal Science*, 1968 [Online]. Available: <http://www.popline.org/node/507933>

[425]

A. O. McKinnon and J. L. Voss, 'Oestrogens', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[426]

Nett TM, 'Oestrogens, LH, PMSG, and prolactin in serum of pregnant mares.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 457–462, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060824>

[427]

J. C. Ousey, E. Houghton, L. Grainger, P. D. Rossdale, and A. L. Fowden, 'Progestagen profiles during the last trimester of gestation in Thoroughbred mares with normal or compromised pregnancies', *Theriogenology*, vol. 63, no. 7, pp. 1844–1856, Apr. 2005, doi: 10.1016/j.theriogenology.2004.08.010.

[428]

M. J. Paidas et al., 'A genomic and proteomic investigation of the impact of preimplantation factor on human decidual cells', *American Journal of Obstetrics and Gynecology*, vol. 202, no. 5, p. 459.e1-459.e8, May 2010, doi: 10.1016/j.ajog.2010.03.024.

[429]

R. L. Pashen and W. R. Allen, 'Endocrine changes after foetal gonadectomy and during normal and induced parturition in the mare', *Animal Reproduction Science*, vol. 2, no. 1–3, pp. 271–288, Jun. 1979, doi: 10.1016/0378-4320(79)90053-8.

[430]

Palmer E, 'Urinary oestrogen and plasma progesterone levels in non-pregnant mares.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 213–221, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060781>

[431]

M. J. Pupkin, D. W. Schomberg, D. A. Nagey, and C. Crenshaw, 'Effects of exogenous dehydroepiandrosterone upon fet-placental biosynthesis of estrogens and its effect upon uterine blood flow in term pregnant ewe', *American Journal of Obstetrics and Gynecology*, vol. 23, 1975.

[432]

Raeside JJ, 'Patterns of urinary oestrogen excretion in individual pregnant mares.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 649-675, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060860>

[433]

Raeside JJ, 'A precursor role for DHA in a feto-placental unit for oestrogen formation in the mare.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 493-497, 1979 [Online]. Available: <http://europepmc.org/abstract/med/158087>

[434]

M. M. Rivera del Alamo, T. Reilas, H. Kindahl, and T. Katila, 'Mechanisms behind intrauterine device-induced luteal persistence in mares', *Animal Reproduction Science*, vol. 107, no. 1-2, pp. 94-106, Aug. 2008, doi: 10.1016/j.anireprosci.2007.06.010.

[435]

Robinson SJ, 'Modulation of oviductal transport in mares by local application of prostaglandin E2.', *Journal of reproduction and fertility. Supplement*, no. 56, pp. 587-592, 2000 [Online]. Available: <http://europepmc.org/abstract/med/20681173>

[436]

A. O. McKinnon and J. L. Voss, 'Maternal recognition of pregnancy', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[437]

P. SILBERZAHN, I. ZWAIN, and B. MARTIN, 'Concentration Increase of Unbound Testosterone in Plasma of the Mare throughout Pregnancy', *Endocrinology*, vol. 115, no. 1, pp. 416–419, Jul. 1984, doi: 10.1210/endo-115-1-416.

[438]

T. R. Sissener, E. L. Squires, and C. M. Clay, 'Differential suppression of endometrial prostaglandin F2alpha by the equine conceptus', *Theriogenology*, vol. 45, no. 3, pp. 541–546, Feb. 1996, doi: 10.1016/0093-691X(95)00401-S.

[439]

Spincemaille J, 'Some aspects of endometrial cup formation and PMSG production.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 415–418, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060817>

[440]

Squires, E.L., 'Ovarian Changes during the Estrous Cycle and Pregnancy in Mares', *Journal of Animal Science*, vol. 38, no. 2, pp. 330–338, doi: 10.2134/jas1974.382330x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/38/2/JAN0380020330>

[441]

E. L. Squires, 'Progesterone', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[442]

E. L. Squires, 'Endocrinology of Pregnancy', in *Equine reproduction*, Philadelphia: Lea & Febiger, 1993.

[443]

Stabenfeldt GH, 'An oestrogen conjugate enzyme immunoassay for monitoring pregnancy in the mare: limitations of the assay between days 40 and 70 of gestation.', *Journal of reproduction and fertility. Supplement*, vol. 44, pp. 37–44, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1665516>

[444]

G. R. Starbuck, T. A. E. Stout, G. E. Lamming, W. R. Allen, and A. P. F. Flint, 'Endometrial oxytocin receptor and uterine prostaglandin secretion in mares during the oestrous cycle and early pregnancy', *Reproduction*, vol. 113, no. 2, pp. 173-179, Jul. 1998, doi: 10.1530/jrf.0.1130173.

[445]

D. R. Stewart and G. Stabenfeldt, 'Relaxin activity in the pregnant mare', *Biology of Reproduction*, vol. 25, 1981.

[446]

T. A. E. Stout and W. R. Allen, 'Conceptus factors involved in the maternal recognition of pregnancy in the mare', *Journal of Reproduction and Fertility, Abstract Series*, vol. 17, 1996.

[447]

T. A. E. Stout, G. E. Lamming, and W. R. Allen, 'Oxytocin and its endometrial receptor are integral to luteolysis in the cycling mare', *Journal of Reproduction and Fertility, Supplement*, vol. 56, 2000.

[448]

Urwin VE, 'Pituitary and chorionic gonadotrophic control of ovarian function during early pregnancy in equids.', *Journal of reproduction and fertility. Supplement*, vol. 32, pp. 371-381, 1982 [Online]. Available: <http://europepmc.org/abstract/med/6820064>

[449]

E. D. Watson, T. S. Bjorkstein, J. Buckingham, and E. Nikolakopoulos, 'Immunolocalisation of oxytocin in the uterus of the mare', *Journal of Reproduction and Fertility, Abstract series*, vol. 20, 1997.

[450]



J. A. Weber, D. A. Freeman, D. K. Vanderwall, and G. L. Wood, 'Prostaglandin E2 secretion by oviductal transport-stage equine embryos', *Biology of Reproduction*, vol. 45, 1991 [Online]. Available: <http://www.biolreprod.org/content/45/4/540.full.pdf>

[451]

'Biology of Reproduction', vol. 45, 1991.

[452]

J. A. Weber, D. A. Freeman, D. K. Vanderwall, and G. L. Wood, 'Prostaglandin E2 hastens oviductal transport of equine embryos', *Biology of Reproduction*, vol. 45, 1991 [Online]. Available: <http://www.biolreprod.org/content/45/4/544.full.pdf>

[453]

Woodley SL, 'Prolonged interovulatory interval after oestradiol treatment in mares.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 205-209, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289791>

[454]

M. T. ZAVY, M. W. VERNON, D. C. SHARP, and F. W. BAZER, 'Endocrine Aspects of Early Pregnancy in Pony Mares: A Comparison of Uterine Luminal and Peripheral Plasma Levels of Steroids during the Estrous Cycle and Early Pregnancy\*', *Endocrinology*, vol. 115, no. 1, pp. 214-219, Jul. 1984, doi: 10.1210/endo-115-1-214.

[455]

M. T. Zavy, D. C. Sharp, F. W. Bazer, A. Fazleabas, F. Sessions, and R. M. Roberts, 'Identification of stage-specific and hormonally induced polypeptides in the uterine protein secretions of the mare during the oestrous cycle and pregnancy', *Reproduction*, vol. 64, no. 1, pp. 199-207, Jan. 1982, doi: 10.1530/jrf.0.0640199.

[456]

Zavy JT, 'An investigation of the uterine luminal environment of non-pregnant and pregnant pony mares.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 403-411, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289817>

[457]

W. R. Allen, 'Fetomaternal interactions and influences during equine pregnancy', *Reproduction*, vol. 121, no. 4, 2001 [Online]. Available: <http://www.reproduction-online.org/content/121/4/513.full.pdf>

[458]

Alm CC, 'The effect of a corticosteroid (dexamethasone), progesterone, oestrogen and prostaglandin F<sub>2</sub>alpha on gestation length in normal and ovariectomized mares.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 637-640, 1975 [Online]. Available: <http://europepmc.org/abstract/med/1060857>

[459]

R. J. BARNES, R. S. COMLINE, L. B. JEFFCOTT, M. D. MITCHELL, P. D. ROSSDALE, and M. SILVER, 'FOETAL AND MATERNAL PLASMA CONCENTRATIONS OF 13,14-DIHYDRO-15-OXO-PROSTAGLANDIN F IN THE MARE DURING LATE PREGNANCY AND AT PARTURITION', *Journal of Endocrinology*, vol. 78, no. 2, pp. 201-215, Aug. 1978, doi: 10.1677/joe.0.0780201.

[460]

H. Bos and G. J. W. van der Mey, 'Length of gestation periods of horses and ponies belonging to different breeds', *Livestock Production Science*, vol. 7, no. 2, pp. 181-187, Mar. 1980, doi: 10.1016/0301-6226(80)90105-0.

[461]

G. D. BRYANT-GREENWOOD, 'Relaxin as a New Hormone\*', *Endocrine Reviews*, vol. 3, no. 1, pp. 62-90, Jan. 1982, doi: 10.1210/edrv-3-1-62.

[462]

S. Campitelli, C. Carenzi, and M. Verga, 'Factors which influence parturition in the mare and development of the foal', *Applied Animal Ethology*, vol. 9, no. 1, pp. 7-14, Nov. 1982, doi: 10.1016/0304-3762(82)90161-4.

[463]

Chavatte, P., 'Corticosteroid synthesis by the equine fetal adrenal', *Biology of Reproduction*, 1997 [Online]. Available:  
<http://agris.fao.org/agris-search/search.do?recordID=US1997055739>

[464]

M. C. G. Davies Morel, J. R. Newcombe, and S. J. Holland, 'Factors affecting gestation length in the Thoroughbred mare', *Animal Reproduction Science*, vol. 74, no. 3-4, pp. 175-185, Dec. 2002, doi: 10.1016/S0378-4320(02)00171-9.

[465]

A. P. F. Flint, A. P. Ricketts, and V. A. Craig, 'The control of placental steroid synthesis at parturition in domestic animals', *Animal Reproduction Science*, vol. 2, no. 1-3, pp. 239-251, Jun. 1979, doi: 10.1016/0378-4320(79)90050-2.

[466]

Forsyth IA, 'Studies on mild composition and lactogenic hormones in the mare.', *Journal of reproduction and fertility. Supplement*, no. 23, pp. 631-635, 1975 [Online]. Available:  
<http://europepmc.org/abstract/med/1060856>

[467]

A.-R. Fuchs, O. Behrens, and H.-C. Liu, 'Correlation of nocturnal increase in plasma oxytocin with a decrease in plasma estradiol/progesterone ratio in late pregnancy', *American Journal of Obstetrics and Gynecology*, vol. 167, no. 6, pp. 1559-1563, Dec. 1992, doi: 10.1016/0002-9378(92)91739-W.

[468]

A.-R. FUCHS, S. PERIYASAMY, M. ALEXANDROVA, and M. S. SOLOFF, 'Correlation between Oxytocin Receptor Concentration and Responsiveness to Oxytocin in Pregnant Rat Myometrium: Effects of Ovarian Steroids\*', *Endocrinology*, vol. 113, no. 2, pp. 742-749, Aug. 1983, doi: 10.1210/endo-113-2-742.

[469]

Hamon M, 'Production of 5 alpha-dihydroprogesterone during late pregnancy in the mare.', *Journal of reproduction and fertility. Supplement*, vol. 44, pp. 529-535, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795296>

[470]

Hillman RB, 'Hormonal changes in the mare and foal associated with oxytocin induction of parturition.', *Journal of reproduction and fertility. Supplement*, no. 27, pp. 541-546, 1979 [Online]. Available: <http://europepmc.org/abstract/med/289834>

[471]

Hodge SL, 'Influence of photoperiod on the pregnant and postpartum mare.', *American journal of veterinary research*, vol. 43, no. 10, pp. 1752-1755, 1982 [Online]. Available: <http://europepmc.org/abstract/med/7149374>

[472]

Holtan DW, 'Plasma progestagens in the mare, fetus and newborn foal.', *Journal of reproduction and fertility. Supplement*, vol. 44, pp. 517-528, 1991 [Online]. Available: <http://europepmc.org/abstract/med/1795295>

[473]

Howell, C. E., 'Environmental Sources of Variation in the Gestation Length of the Horse', *Journal of Animal Science*, vol. 10, no. 4, pp. 789-796, doi: 10.2134/jas1951.104789x. [Online]. Available: <https://dl.sciencesocieties.org/publications/jas/abstracts/10/4/JAN0100040789>

[474]

M. R. Jainudeen and E. S. E. Hafez, 'Gestation, Prenatal Physiology and Parturition', in *Reproduction in farm animals*, 7th ed., Philadelphia: Lippincott Williams & Wilkins, 2000.

[475]

L. B. Jeffcott and K. E. Whitwell, 'Twinning as a cause of foetal and neonatal loss in the Thoroughbred mare', *Journal of Comparative Pathology*, vol. 83, no. 1, pp. 91-106, Jan.

1973, doi: 10.1016/0021-9975(73)90032-7.

[476]

M. M. LeBLANC, 'Identification and treatment of the compromised equine fetus: A clinical perspective', *Equine Veterinary Journal*, vol. 29, no. S24, pp. 100–103, Jun. 2010, doi: 10.1111/j.2042-3306.1997.tb05086.x.